1998 DODGE/CHRYSLER VIPER (SR)









Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.


The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description						
1	Country of Origin	1 = Built in U.S. by DaimlerChrysler Corporation						
2	Make	C = Chrysler B = Dodge						
3	Vehicle type	3 = Passenger Car						
4	Pass. Safety	E = Restraint System Active Driver & Passenger Air Bag (CGW)						
5	Vehicle Line	R = Viper R/T-10 R = Viper GTS						
6	Series	6 = Viper RT/10 (D-S27) 6 = Viper GTS-Coupe (D-S29						
7	Body Style	5 = Convertible - Open Body 9 = 2 Door Specialty Coupe						
8	Engine	E = 8.0L V10 SFI (EWB)						
9	Check Digit							
10	Model Year	V = 1997, W = 1998						
11	Assembly Plant	V = New Mack Development Center						
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence						

Group – 002


Front Suspension & Drive






GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Cuppopolon Front	Fig. 002 110



Suspension, Front Figure 002-110



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
29	4642 056	4							SHIM, Control Arm, Front Adjusting		
30	4709 323	4							BOLT, Control Arm Cam, Lower		
31	6502 136	3					BOLT, Hex Flange Head, M10x1.				
									50x55		
32	4848 050	2							BUSHING, Control Arm		
33	5102 006AA	1							BALL JOINT, Lower Control Arm		
34									BRACKET, Shock Mounting		
	4709 298	1							Right		
	4709 299	1							Left		
35									BOLT, M10x1.50x65.00, (NOT		
									SERVICED) (Not Serviced)		
36	6502 696	3							NUT, Hex Flange Lock, M10x1.5		
-37	5012 650AA-	2						BUSHING, Shock Absorber			

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 003 Rear Axle






GROUP 3 - Rear Axle


Illustration Title	Group-Fig. No
Rear Axle	
Differential Assembly, Rear	Fig. 003-110
Differential and Housing	
Differential Assembly, Rear	Fig. 003-205
Rear Axle Shafts	
Shaft, Rear Axle	Fig. 003-405

Differential Assembly, Rear Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	<u> </u>	LINE	JENIEG	B05.	LIVOITE	IIIAIIO	1111111	DEGOM: NON
1	4763 897AB	1							DIFFERENTIAL, Rear Axle, Rear
									Complete 3.0 Ratio
DODGE CH	RYSLER VIPER (S	SR)							
SERIES S = RT/10	LINE D =	E Dodge	BODY 27 = Co	onvertible	ENGINE EWB = 8	3.0L 10 Cvl. S	SFI DE	RANSMIS C = 6 Sp	SION peed Manual Manual
S = GTS Co X = GTS/Le	oupe mans		29 = Co	upe	EW0 = F	All 8.0L Gas	DE	BB = All N	Manual



Differential Assembly, Rear Figure 003-110



29 = Coupe


S = GTS Coupe X = GTS/Lemans

		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4)		1 2 3 4	4763 676 4428 723 6502 581 4797 307	2 6 12 4							SHAFT, Axle Half, Rear Axle CLAMP, U-Joint BOLT, Hex Flange Head, M8x1.0x19 U JOINT, Inner
6	3										
		<i>\display</i>									
		DODGE CH SERIES	RYSLER VIPER (LIN D =	(SR) E	BODY		ENGINE		TR	ANSMIS	SSION
		SERIES S = RT/10 S = GTS Co X = GTS/Le	D = oupe emans	: Dodge	BODY 27 = Co 29 = Co	nvertible upe	EWB = 8. EW0 = A	.0L 10 Cyl. S \ll 8.0L Gas	FI DE DB	EC = 6 Sp BB = All N	SION peed Manual Manual

Group – 004 Parking Brake




Illustration Title Group-Fig. No. **Parking Brake Lever and Cables** Lever Assembly And Cables Parking Brake Fig. 004-110




004–100 Parking Brake Lever and Cables		

Lever Assembly And Cables Parking Brake Figure 004-110



2 3 4 5	PS53 SB4 PS53 SX9 4763 181 6035 135 6100 575	1 1 2 2 2	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION LEVER, Park Brake Bright Blue Flat Black CABLE, Parking Brake SCREW, .250-14x.875 BOLT AND CONED WASHER, He Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con Washer, M8 x 1.25
2 3 4 5	PS53 SX9 4763 181 6035 135 6100 575	1 2 2 2							Bright Blue Flat Black CABLE, Parking Brake SCREW, .250-14x.875 BOLT AND CONED WASHER, He Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
2 3 4 5	PS53 SX9 4763 181 6035 135 6100 575	1 2 2 2							Bright Blue Flat Black CABLE, Parking Brake SCREW, .250-14x.875 BOLT AND CONED WASHER, He Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
2 3 4 5	PS53 SX9 4763 181 6035 135 6100 575	1 2 2 2							Flat Black CABLE, Parking Brake SCREW, .250-14x.875 BOLT AND CONED WASHER, He Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
2 3 4 5	4763 181 6035 135 6100 575	2 2 2							CABLE, Parking Brake SCREW, .250-14x.875 BOLT AND CONED WASHER, He Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No. SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
3 4 5	6035 135 6100 575	2							SCREW, .250-14x.875 BOLT AND CONED WASHER, He Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
4 5	6100 575	2							Head, M8x25x17 CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
	6101 445								CLIP, (Serviced in Item #2) ***, (No SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
	6101 445								SERVICED) (Not Serviced) NUT AND WASHER, Hex Nut-Con
6	6101 445	2							NUT AND WASHER, Hex Nut-Con
D <mark>DGE CHRY</mark> ERIES	YSLER VIPER (S		BODY		ENGINE		TR	RANSMIS	CION
= RT/10 = GTS Cou	D =	⊏ Dodge	27 = Co 29 = Co	onvertible	EWB = 8	3.0L 10 Cyl. S All 8.0L Gas	FI DE		peed Manual


Group – 005 Service Brakes





005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			

GROUP 5 - Service Brakes

Illustration Title	Group-Fig. N
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Master Cylinder, Brake	Fig. 005-410
Brake Lines and Hoses	
Lines And Hoses, Brake	Fig. 005-510
Brake Pedals	
Pedal, Brake	Fig. 005-610








DODGE CHRYSLER VIPER (SR) **SERIES**


S = RT/10S = GTS Coupe X = GTS/Lemans D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1	4848 716	1			HUB AND BEARING, Brake						
2	4642 353	2							ROTOR, Brake, Rear Brake Vented		
3									KNUCKLE, Rear		
	4709 281	1							Left		
	4709 282	1							Right		
4									CALIPER, Disc Brake		
	4723 606	2							Right		
	4723 607	2							Left		
-5	4897 219AB-	1							PAD KIT, Rear Disc Brake, with Pin		
									and Clip Package		
6	4720 990	1							BLEEDER SCREW PKG, BRAKE		
7	3420 2857	2				SCREW, Socket Head, M8x1.2			SCREW, Socket Head, M8x1.25x60,		
									Caliper Mounting		
8	3420 2858	2						BOLT, Hex Head, M10x1.25x80,			
									Caliper Mounting		
9	6033 702	6							BOLT, D Head, .50-20x2.00		
10	6035 642	4							SCREW AND WASHER, Hex Head		
									Locking, .50-20x2.25 Grade 8		
11	6500 336	2							PIN, Cotter, M5x36.00		
12	4293 167	2							NUT AND WASHER PACKAGE,		
									Front Hub		
13	6502 294	1							NUT, Hex Flange, M22x1.25, (Axle		
									Shaft Hub)		
14	6502 293	2							WASHER, Flat, M23x43x4		
-15	4723 459	1							PLATE, Brake Torque		
_				_	_		_				



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Booster, Power Brake Figure 005-310

3	
9	
8 7	4


ITEM	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ode EWB= 8.0L		=1						
1	4763 952	1							BOOSTER, Power Brake
-2	4723 640	2							GROMMET, Brake Booster Check
	4700 004								Valve
3	4723 391	2							VALVE, Brake Booster Check
4	6101 445	2							NUT AND WASHER, Hex Nut-Cor
_	4004.450								Washer, M8 x 1.25
5	4294 158	1							BOOT, Brake Booster Push Rod
6	4723 642	2							SEAL, Brake Booster To Dash
7	4723 395	2							GASKET, Brake Master Cylinder
8	6502 524	1							NUT, Hex Lock, M8x1.25
9	4848 345AB	1							HOSE, Vacuum Supply, 11/32 rou
									stock
DDGE CH	IRYSLER VIPER (S		RODV		FNGINE		TE	2 ANGMIG	SION
ODGE CH ERIES = RT/10	LINE		BODY 27 = Co	nvertible	ENGINE EWB = 8	.0L 10 Cyl. S		RANSMIS	SION Deed Manual

Master Cylinder, Brake Figure 005-410

4	HAX	
3		
2	1	u

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4723 394	1							PIN, Master Cylinder Reservoir
	4642 548	1							MASTER CYLINDER, Brake
3	4723 389	2							GROMMET, Master Cylinder
									Reservoir
	4723 387	2							RESERVOIR, Brake Master Cylinder
5	4294 036	1							CLIP, M/Cyl. Push Rod
DODGE CUP	YSLER VIPER (S	:D\							
SERIES	LINE		BODY		ENGINE		Т	RANSMIS	
S = RT/10 S = GTS Cou	D = 1	Dodge	27 = Co 29 = Co	onvertible	EWB = 8	.0L 10 Cyl. S All 8.0L Gas	FI D	EC = 6 S BB = All I	peed Manual Manual
X = GTS/Len	nans		20 - 00	~P~	_,,,	0.02 003		25 - VII I	

Lines And Hoses, Brake Figure 005-510



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•		•								
	1	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Roll
-										Stock
	2	2207 919	1							CLIP, Parking Brake Cable, Front
										Brake Tube
	3									HOSE, Front Wheel Disc
_		4763 154	1							Right
		4763 155	1							Left
	4	6502 114	8							WASHER, Brake Hose, to Caliper
	5	6503 805	4							BOLT, Hex Head, M10x1.0x21.75,
_										Brake Hose to Caliper
	6	6100 575	1							BOLT AND CONED WASHER, Hex
										Head, M8x25x17
	7	6034 881	1							NUT, Inverted Flare, .375-24
	8	6035 135	2							SCREW, .250-14x.875
	9	3404 625	1							CLIP, Tube, Front Brake Tubes
	10	4848 445	1							TUBE, Brake, M/Cyl to Prop Valve,
										Primary
_	11	4848 443	1							TUBE, Brake, M/Cyl to Prop Valve,
										Secondary
	12	4848 532AB	1							VALVE, Proportioning
_	13	6034 862	1							NUT, Inverted Flare, .50-20x.625,
										Brake Tube to Valve
	14	6100 151	1							BOLT, Hex Head, M8x14, Valve and
										Bracket Mounting
_	-15	6100 047	1							NUT AND WASHER, Hex Nut-Coned
										Washer, M6 x 1.00, Valve Mounting
										Bolt
	16	5201 7741	5							CLIP, Fuel Bundle, Brake and Fuel
_										Tubes
	17	4683 653	1							CLIP, Tube
	18	4709 068	AR							TUBE, Brake, Rear Brake
	19	1141 472	1							TEE, Brake Tube, Front to Rear
_										Brake Tubes
	20									HOSE, Brake
		4642 230	1							Right
		4642 231	1							Left
_	21	6502 746	2							SCREW AND WASHER, Hex Head
										Header Point, M10x1x14, Brake
										Hose Bracket to Caliper(Rea r) ***

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								1	
1	4763 022AC	1							PEDAL, Brake, Clutch, and
2	4294 036	1							Accelerator, Brake CLIP, M/cylinder Push rod to Pedal
	6101 467	2 ^P							NUT, Hex Flange, M8x1.25
4	4897 163AA	AR							KNOB, BRAKE AND CLUTCH, ADJUSTING
5	6100 516	2							NUT, Hex Flange Lock, M6 Phosphate, M6x1.00
6									WASHER, (NOT SERVICED) (Not
7	4708 285	2							Serviced) PAD, Brake Pedal

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 006 Clutch






GROUP 6 - Clutch

Illustration Title	Group-Fig. No
Clutch	
Clutch, (EWB)	Fig. 006-110
Clutch Housing	
Clutch Housing	Fig. 006-210
Clutch Controls	
Clutch Actuation System	Fig. 006-310
Clutch Pedals	
Clutch Pedal	Fig. 006-410

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		'		1		ı	1	1		_
	NOTE; E	EWB = 8.0L V1 4848 708AC					EWB			PLATE, Clutch Pressure, Plate and
	2	6034 555	8				EWB			Disc, Clutch SCREW, Flange Head, .312-18x1. 125
000										
000000000000000000000000000000000000000										
So the last of the										
a a a a a a a a a a a a a a a a a a a										
	DODGE CH SERIES S = RT/10	IRYSLER VIPER (S LINE D =	SR) E Dodge	BODY 27 = Co	onvertible oupe	ENGINE EWB = 8	.0L 10 Cyl. S \ll 8.0L Gas	TR SFI DE	RANSMISS EC = 6 Sp	SION peed Manual Manual
	S = RT/10 S = GTS Co X = GTS/Le	oupe emans	-	29 = Co	oupe	EW0 = A	All 8.0L Gas	DE	BB = All M	Manual




	PART	!							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	DEC - 6 Spd Ma		rans						MONORIO OLIGA
1	4626 594 4642 581	1					DEC		HOUSING, Clutch
2	4642 581	1							BEARING, Clutch Release, Clutch Concentric Slave
3	0181 148	2							SCREW, Hex Head, .437-14x2.75,
<u> </u>	0101 140								Trans. to Engine Att437-14x2.75,
4	0153 371	4							BOLT, Hex Head, .375-16x2.25,
7	0100 07 1	7							Trans. to Engine Att375-16x2.25,
5	5245 010	1							COVER, Transmission Dust, Clutch
	<u> </u>								Housing
6	6023 092	4							SCREW AND WASHER, Hex Hea
Č	0020 00_	•							.25-20x.50, (.250-20x5.00)
7	6100 296	2							BOLT, Hex Head, (M8x1.25x25.00)
8	9417 838	2							WASHER, Flat, ID .484 OD 890 TI
C	J.11. J.J.	_							.0710
			_	_					
)DGE CHI	IRYSLER VIPER (S								
ERIES	LINE	E	BODY	artible	ENGINE FWR - 8	21 40 Cyl 9		RANSMIS	
ODGE CHI ERIES = RT/10 = GTS Cc	LINE D =			onvertible	EWB = 8	.0L 10 Cyl. S	FI DE		peed Manual

Clutch Actuation System Figure 006-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4642 666AB 4643 448	1							ACTUATOR, Hydraulic Clutch BUSHING, Hydraulic Clutch Actuator, Self Retaining
2										
	DODGE CHR SERIES S = RT/10 S = GTS Co X = GTS/Ler	YSLER VIPER (S LINE D = upe nans	SR) - E Dodge	BODY 27 = Co 29 = Co	nvertible upe	ENGINE EWB = 8. EW0 = A	0L 10 Cyl. S Il 8.0L Gas	TR FI DE DE	ANSMISS C = 6 Sp B = All M	SION beed Manual Manual

Clutch Pedal Figure 006-410

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	4763 022AB	1							PEDAL, Brake, Clutch, and
_										Accelerator
	2	4708 285	2							PAD, Brake Pedal



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

D = Dodge

Group – 007 Cooling




007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
007–500 Drive Belts	007–600 Lines, Transmission Oil Cooler		

GROUP 7 - Cooling

Illustration Title	Group-Fig. No
Radiator and Related Parts Radiator And Related Parts Radiator Air Baffles	Fig. 007-110 Fig. 007-120
Water Pump and Related Parts Water Pump And Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Reserve And Pressurized Coolant Tank	Fig. 007-310
Pulleys and Related Parts Pulleys, Drive	Fig. 007-410
Drive Belts Belts, Drive	Fig. 007-510
Lines, Transmission Oil Cooler Oil Cooler And Lines	Fig 007-610

Radiator And Related Parts Figure 007-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Codes:								
[EWB] =	8.0L V10 SFI								
1	3200 2366	2							CLAMP, Hose, 55mm Black, Rad t
									Rad Hose Inlet
2	4763 584	1							HOSE, Radiator Outlet, Outlet to
									Water Pump
3	4763 585	1							HOSE, Radiator Inlet, Thermostat
		-							Inlet
4	5200 6750	2							CLAMP, Radiator
-5	0_00 0.00								BRACKET, Bulkhead
· ·	4709 356	1							Right
	4709 357	1							Left
6	4855 123AB	1							RADIATOR, Engine Cooling
- 7	4266 328	2							ISOLATOR, Radiator
-8	4596 198	1							CAP, Pressurized Coolant, Radiato
9	6100 049	2							NUT AND WASHER, Hex, M6x1.0
10	0100 010	_							SHIELD, Splash, Serviced in Fan
10									Module, (NOT SERVICED) (Not
									Serviced)
11	4854 720AA	1							FAN MODULE, Radiator Cooling
12	4709 352AC	1							SHROUD, Fan, Includes Support
12	4700 00270	<u>'</u>							Radiator Closure
13	6100 049	2							NUT AND WASHER, Hex, M6x1.0
14	5304 1078	1				EWB			THERMOSTAT, 195 Degrees
-15	4763 839	1				EWB			GASKET, Thermostat
-16	4763 779AC-	'				EWB			HOUSING, Thermostat
17	4100 110AO	'				LVVD			NIPPLE, Heater Inlet, (NOT
17									SERVICED) (Not Serviced)
18	4848 199	2							RETAINER, Radiator Closure,
10	4040 199								Radiator Closure
10	1762 FG1	۸Β							
19	4763 564	AR							SHIM
20	4763 565	AR							SHIM
-21	40EE 400AD								LABEL, Emission
	4855 100AB-	1							Canada
	4855 105AB-	1							Canada
	4848 862AB-	1							EXPORT

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Radiator Air Baffles Figure 007-120


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1 2	4848 737 6100 545	1 4			•				BAFFLE, Radiator SCREW AND WASHER, Hex Head,
		6029 074 4848 763 4848 198	1 1 2							M5x.8x25 U-NUT, .25-20 COVER, Baffle Air Upper BRACKET, Radiator
2	6	6501 067	4							PIN, Push, M6.3x20.5, Baffle Att.
No. of the second secon										
5										
6										
	DODGE CHI SERIES S = RT/10 S = GTS Co	RYSLER VIPER (LIN D = pupe	SR) - E Dodge	BODY 27 = Co 29 = Co	nvertible upe	ENGINE EWB = 8. EW0 = A	.0L 10 Cyl. S .ll 8.0L Gas	TR SFI DE DE	ANSMISSEC = 6 SpBB = All M	SION beed Manual Manual
· · · · · · · · · · · · · · · · · · ·	S = GTS Co X = GTS/Le	emans		-	•		2 2 2 2			

Water Pump And Related Parts Figure 007-210



	PART						l		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
	8.0L V10 SFI								
1	4763 776AB	1				EWB			PUMP, Water
2									HUB, Water Pump Pulley, (NOT
_									SERVICED) (Not Serviced)
3	4763 790	1				EWB			GASKET, Water Pump
4	5301 0221	1				EWB			PULLEY, Water Pump
5	0220 800	2				EWB			
									SCREW, Hex Head, .312-18x.75
6	6035 558	9				EWB			SCREW, Hex Flange Head, .375-
									16x1.50
	, <u></u>								
			-						
DGE CHF	YSLER VIPER (S	.R) -							
ERIES	RYSLER VIPER (S LINE	Ē	BODY		ENGINE		TR	RANSMIS	SION
DDGE CHR :RIES = RT/10 = GTS Co	LINE D = I	SR) - E Dodge	BODY 27 = Cc 29 = Cc	onvertible	EWB = 8	3.0L 10 Cyl. SF All 8.0L Gas	FI DE	RANSMIS EC = 6 Sp BB = All N	peed Manual

Coolant Reserve And Pressurized Coolant Tank Figure 007-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
EWB] =	8.0L V10 SFI								
1	4682 828	1							CAP, Coolant Reserve Tank
2	5202 7784	1							TANK, Coolant Reserve
3									U-NUT, (NOT SERVICED) (Not
									Serviced)
4	6502 018	2							CLAMP, Hose, M28.9 x 1.60, Coo
									Ret Hose/Pres Btle
5									SCREW, (NOT SERVICED) (Not
									Serviced)
6									HOSE, Coolant Reserve Tank
	4763 877	1				EWB			High Pressure C/Bottle to Water
									Pump
	5245 038	1							High Pressure Coolant
	4763 584	1							Radiator Outlet to Water Pump
-	4763 585	1							Coolant Engine to T/Stat to Inlet
7	4709 389	1							BOTTLE, Pressurized Coolant
8	4596 198	1							CAP, Pressurized Coolant, Tank
9	5245 039	1							TUBE, Coolant Reserve Tank, Lov
10	4700 204	2							Pressure Coolant
10 11	4709 381 4592 126	2							CLIP, Hose CLAMP, Hose
11	4592 126	2							CLAMP, Hose

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: \$	Sales Codes:								
EWB] =	8.0L V10 SFI								
1	5300 9508	1				EWB			PULLEY, Idler
2	5301 0222	1				EWB			PULLEY, Crankshaft
-3	3300 2201	1				EWB			BUSHING, Idler Pulley
4	4626 444AB	1				EWB			TENSIONER PACKAGE, Belt
5	6502 135	1				EWB			NUT, Hex Flange, M10x1.5, Belt
									Tensioner
6	5301 0221	1				EWB			PULLEY, Water Pump
7									SCREW, Hex Head, .312-18x.75,
									(NOT SERVICED) (Not Serviced)
8	4763 863AB	1				EWB			BELT, Accessory Drive, Accesory
									Drive Non A/C
-9	4763 934	1							LABEL, Emission, A/C Spec. & Bel
									Rtg.

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Belts, Drive Figure 007-510





07-510									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: C	alaa Cadaa								
	ales Codes: 8.0L V10 SFI								
1	4763 863AB	1				EWB			BELT, Accessory Drive, Without Air Conditioning
2	4763 795AB	1				EWB			BELT, A/C

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Oil Cooler And Lines Figure 007-610




ITEM	PART NUMBER	OTY	LINE	SERIES	PODV	ENGINE	TDANC	TRIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	IKIIVI	DESCRIPTION
NOTE: S	ales Codes:								
	8.0L V10 SFI								
1	4848 310	1							LINE, Oil Cooler Inlet
	4848 300	1							LINE, Oil Cooler Outlet
3 4	4643 826AB 6034 530	<u>1</u> 4				EWB			COOLER, Engine Oil SCREW, Hex Head, .312-18x.75
5	6100 296	2							BOLT, Hex Head
DODGE CHE	YSLER VIPER (S	:P\							
SERIES	LINE		BODY		ENGINE	01.40.0.1.0	TF	RANSMIS	SION
S = RT/10 S = GTS Co	upe	Dodge	27 = Co 29 = Co	nvertible upe	EWB = 8 $EW0 = A$.0L 10 Cyl. S All 8.0L Gas	FI DE DE	EC = 6 S _I BB = All N	peed Manual Manual
X = GTS/Ler	mans								

Group – 008


Electrical





Group – 008


Electrical



GROUP 8 - Electrical


	Group-Fig. No.
Starters Starter	Fig. 008-105
Alternators	Fig. 008-205
Modules Modules	Fig. 008-405
Relays Relays, Fuses, Circuit Breakers	Fig. 008-505
Sensors	Fig. 008-605
Single Board Engine Controllers Single Board Controllers Powertrain Control Module	Fig. 008-705
Switches Switches	Fig. 008-805
Horns Horns	Fig. 008-905
Battery Tray and Cables Battery Tray and Cables	Fig. 008-1005
Lamps - Front, Rear and Courtesy Lamps and Wiring - Front Lamps and Wiring - Rear	Fig. 008-1105 Fig. 008-1110
Wiring-Engine & Related Parts Wiring - Engine and Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash Wiring - Headlamp to Dash	Fig. 008-1305
Wiring-Instrument Panel Wiring - Instrument Panel	Fig. 008-1405
Wiring-Body & Accessories Wiring - Body and Accessories	Fig. 008-1505
Wiring Repair Connector Repair Package	Fig. 008-1610
Spark Plugs-Cables-Coils Spark Plugs - Cables - Coil	Fig. 008-1905

Starter Figure 008-105




	PART			050.5	D.C.D.	FNG::-	TD		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB=8.0l	. V10 SFI								
1	4763 794	1				EWB			STARTER
-2	6035 558	2				EWB			SCREW, Hex Flange Head, .375- 16x1.50
DODGE CHR' SERIES S = RT/10 S = GTS Cou X = GTS/Lem	YSLER VIPER (S LINE D = [ipe nans	SR) – E Dodge	BODY 27 = Cor 29 = Cor	nvertible upe	ENGINE EWB = 8. EW0 = A	0L 10 Cyl. SI Il 8.0L Gas	FI DE	ANSMIS EC = 6 Sp BB = All M	peed Manual

Alternators Figure 008-205







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB=8.0	L V10 SFI								
1	4848 662AB	1				EWB			ALTERNATOR, Electrical
2									BRACKET, Alternator (Serviced w/
									COVER ASSEMBLY, Chain Case #4763731), (NOT SERVICED) (Not
									Serviced)
3	4626 444	1				EWB			TENSIONER PACKAGE, Belt
-4	4848 124	1				EWB			SPACER, Alternator

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Modules Figure 008-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4672 271	1							MODULE, Daytime Running Lamp
2									SCREW, .250-14x.875, (NOT
									SERVICED) (Not Serviced)
3	RW19 JX8AB	1							AIR BAG, Passenger
4									SCREW, Round Head, .164-15x1.00
									(NOT SERVICED) (Not Serviced)
5	4848 663	1			29				BEZEL, Security Indicator
6	4848 664	1			29				WIRING, LED Security
7	4848 291	1							MODULE, Wiper
8	4848 290	1							STRAP, Module Mounting
9	4848 802AE	1							MODULE, Air Bag Control
10	4709 109	1							BOX, Antenna Amplifier
11									SCREW, Tapping, .19-16x1.75,
									(NOT SERVICED) (Not Serviced)
12	LB45 JX8AB	1							AIR BAG, Driver
13	5266 269	1							CHIME, Warning
14									MODULE, Keyless Entry Receiver
	4848 148AG	1							Export
	4848 832AE	1							
15	4848 290	1							STRAP, Module Mounting
16									TRANSMITTER, Keyless Entry
	4848 151	AR							Export
	5245 289	AR							
-17	5245 299AB-	1							MODULE, Lighting Control,
									Instrument panel dimming

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Relays, Fuses, Circuit Breakers Figure 008-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	1 4	LINE	OLIVIEO	5051	LITOINE	mano	11111111	DESCRIPTION
1	4848 879AA	2							RELAY, Electrical Radiator Fan
	4608 650	3 8							Mini
2	4848 193	1							Fuel Pump
-2 -3	2889 565 5600 5146	1			29				RELAY, Electrical, Time Delay RELAY, Electrical, Heated Rear
4	4444.000	4			20				Window
-4	4414 333	1			29				BREAKER, Circuit, Rear Dofogger
DODGE CH SERIES	IRYSLER VIPER (\$ LINE D =	SR) · E	BODY 27 = Co	n routile le	ENGINE	01.40.001.0	TR	RANSMISS	SION
S = RT/10 S = GTS C X = GTS/Le	D = Coupe emans	⊔odge	27 = Co 29 = Co	nvertible upe	EW0 = 8.	.0L 10 Cyl. S All 8.0L Gas	ri DE	BB = All M	SION eed Manual lanual
A - G13/L	unano								

Sensors Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOMBER	Q I I	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIW	DESCRIPTION
:\\/R_8	0L V10 SFI								
	IANUAL 6-SPE	FD							
1	4626 572	1					DEC		SOLENOID, Transmission Skip Sh
2	4848 214	1					DEC		SENSOR, Vehicle Speed
3	4746 271	4					DEC		SOLENOID, Transmission
4	5602 8194	1							SENSOR, Battery Temperature
5	4874 371AB	1				EWB			SENSOR, Throttle Position
6	5227 805	1				EWB			SENSOR, Ambient Temperature
7	4848 416	1				EWB			SENSOR, Crankshaft
-8	5245 585	1				EWB			SHIELD, Crank Position Sensor
9	5245 084	1				EWB			SENSOR, Camshaft
10	5602 9405	1				EWB			SENSOR, Map
11									SENSOR, Oxygen
	5604 1004	2				EWB			Downstream, Upto 7-28-97
	5604 1212 56041 212AE	2 3 2				EWB EWB			Up Stream Downstream, After 7-28-97

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe


ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Single Board Controllers Powertrain Control Module Figure 008-705



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									MODULE Engine Controller
1	4854 705AB	1							MODULE, Engine Controller Export
	4854 704AC	1							
2	4848 160AB	1							COVER, Module
DODGE CHR SERIES	YSLER VIPER (S	R)	BODY		ENGINE		т	RANSMIS	SSION
S = RT/10 S = GTS Co	D = I	Dodge	27 = Coi 29 = Coi	nvertible	EWB = 8	.0L 10 Cyl. S All 8.0L Gas	FI D	EC = 6 S BB = All I	peed Manual
X = GTS/Ler	nans		23 - 00	upo	_ VVO - F	iii O.OL Gas	D	20 – VII I	viai iaai


Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•	•	•	•	•	
	0L V10 SFI								
	ANUAL 6-SPEE								
1	4671 334	1							SWITCH, Stop Lamp, Stop Lamp/
0									Speed Control (Clutch Inter-Lock)
2									CLIP, (NOT SERVICED) (Not
0	4040 440	4				EWD.			Serviced)
3	4848 110	1				EWB			SENDING UNIT, Temperature
4	4626 593	1					DEC		Gauge SWITCH, Back Up Lamp
<u>-5</u>	53007 944AB-						DLC		SWITCH, Clutch Starter Interlock
-6	4848 295	1				EWB			SWITCH, Oil Pressure
-7	5602 6779	1				EWB			SENDING UNIT, Oil Pressure
-8	5245 736	1			29	25			SWITCH, Electric Back Light
-9	4687 594	1							SWITCH, Door Ajar, AlsoUnder Hood
		•							Security Alarm
-10	4848 283AC-	1							BRACKET, Wiring, After 02/10/97
-11	4848 149	1			29				SWITCH, Strut, Rear Hatch Alarm
-12									SWITCH, Headlamp
	4763 135	1							
	4763 596	1							Export
-13									KNOB, Head Lamp Switch
	4848 135	1							
	4848 136	1							Export
-14	5602 1346	1							SWITCH, Ignition
-15	6503 845	5							SCREW, Ignition Switch
-16									SWITCH, Door Handle
	4848 150	2			29				
4-	1005 101	2			27				0)4/17014 5
-17	4685 434	2			27				SWITCH, Power Window, 1-Gang
-18	4848 291	1							SWITCH, Windshield Wiper
-19	4848 933AA-	1			27				SWITCH, Disarm
	4040 933AA-	1 1			27 29				
-20	4728 424	<u>'</u> 							SWITCH, Multifunction
20		·							ovviron, maintanetten
	RYSLER VIPER (SI				FNONE			D A NION 41	COON
SERIES S = RT/10 S = GTS Co X = GTS/Le	oupe	Oodge	BODY 27 = Co 29 = Co	onvertible oupe		.0L 10 Cyl. S All 8.0L Gas	SFI D	RANSMIS EC = 6 S BB = All I	peed Manual
3.3/26									

Horns Figure 008-905

1	4643 867AB	1				HORN, High Note
-2	4643 868AB-	1				HORN, Low Note
-3	6035 135	2				SCREW, .250-14x.875, Horn
						Attaching, Horn Mounting



DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans


D = Dodge

BODY

27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Battery Tray and Cables Figure 008-1005



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4642 589	1							BOLT, Hex Head, .375-16x.95
2	4642 591	1							COVER, Battery Terminal, Battery
									Side Post, Negative
3	4642 924	1							COVER, Battery Terminal, Battery
									Side Post, Positive
4	4763 635	1							RETAINER, Battery Hold Down
5									SCREW AND WASHER, Hex Head
									M8x1.25x30
	6500 584	8			27				
		8			29				
6									WIRING, Unified Body
	4763 077AC	1			29				
	4848 158AE	1			27				
7	4642 610AB	1							WIRING, Battery Negative
8	4763 057AB	1							WIRING, Battery Positive
9	4643 305	1							TRAY, Battery
-10	6101 308	2							NUT, U, M6x1
-11	5602 8194	1							SENSOR, Battery Temperature
-12									LABEL, Battery
	4848 923AA-	1							English/French
	5003 355AA-	1							

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Lamps and Wiring - Front Figure 008-1105



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•		•								
	1									LAMP, Side Marker
-	<u> </u>	4642 930	2			27				Exiting Glad Market
		4643 939	2			29				(EUROPE)
	2	6025 002	4			29				NUT AND WASHER, Hex Nut-Coned
	_	0020 002	•							Washer, .190-24, Sidemarker,
_										Mounting
	3	4676 565	2							LAMP, Front Fender, Side Repeater
	-4	0153 620	2							BULB, 8/4, Side Repeater
	-5	4676 801	2							GASKET, Side Marker Lamp, Side
_										Repeater
	6	4481 618	2							WIRING, Side Repeater Lamp
	-7									O RING, Fender Side, 4676802,
_										(NOT REQUIRED)
_	8									COVER, Fog Lamp
		4643 818	1			27				Right
		4643 819	1			27				Left
_	9	5245 104	2							LAMP, Fog
	-10									SCREW, .19-16x.75
		6033 526	4			27				Fog Lamp to Adapter
			4			29				Fog Lamp to Adapter
_	-11	4728 646	2							BULB PACKAGE, 55 Watt
	-12									BRACKET, Fog Lamp
		5245 172	2			27				
			2			29				
_	-13	5245 991	1			27				SEAL, Fog Lamp
	14									HEADLAMP
		4708 146AB	1							Right, Export
		4708 147AB	1							Left,Export
_		4848 062AB	1							Right
		4848 063AB	1							Left
	-15	L000 9005	2							BULB, Headlamp
	-16	L000 009011	1							BULB, 9011, high beam, Right & Left
-	-17	L0003 157NA	1							BULB, 3157 NAK, Park And Turn
	40	2524 570	•							Signal Lamp
	18	6504 572	8							NUT AND WASHER, Hex Nut-Coned
										Washer, M8 x 1.25, Headlamp
-		1700 040								Mounting Mounting
	-19	4708 012	4							NUT, Wing, Headlamp Mounting

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Lamps and Wiring - Rear Figure 008-1110



1 1	4848 420 4848 421 4848 424	QTY 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 421	1							
	4848 421	1							LAMP, Tail Stop Turn
					29				Right
	4848 424	1			29				Left
		1			29				Right, Export
	4848 425	1			29				Left,Export
	4848 420	1			27				Right
	4848 421	1			27				Left
	4848 424	1			27				Right,Export
	4848 425	1			27				Left,Export
-2									BULB, 3157
	0154 851AA-	3			27				Tail And Stop Lamp
	L000 3157	2			29				Turn Signal,Back Up Lamp
		1			27				
3									LAMP, Back-Up and Turn Signal
	4642 100	1			29				Right
	4642 101	1			29				Left
-4	4399 900	1			27				SOCKET, Park, Turn, and Side
_	4000 500				07				Lamp
-5	4399 599	1			27				SEAL, Turn Signal And Side Marke
•									Lamp
6	40.40, 400				07				WIRING, Taillamp
	4848 423	1			27				Export
7	4848 422	1			27				NULT Wing MG Toil Lamp Attachin
7	6502 589	10			27				NUT, Wing, M6, Tail Lamp Attaching
<u>8</u> 9	4642 929	2			27				LAMP, License Plate SCREW, (NOT SERVICED) (Not
9									Serviced)
10	L000 0168	1			29				BULB, 168, License Lamp
11	2000 0100	'			23				WIRING, License Lamp, Serviced in
									Uni-Body Harness, (NOT
									SERVICED) (Not Serviced)
12									LAMP, High Mounted Stop
12	4642 571	1			27				Littin , riigii Modrited Otop
	4642 571AB	1			27				Export
13	10.201.7.2	•							SEAL, High Mounted Stop Lamp
.0	4643 600	1			27				OZ, IZ, Tilgit Mountou Otop Zump
	4848 937AA	2			27				Chimsel, Anti-Light Leak
14	4643 601	_ _			27				BRACKET, High Mounted Stop Lam
15	3420 1942	2			27				CLIP, Panel Fastener
16									SCREW, (NOT SERVICED) (Not
									Serviced)
17									SCREW, (NOT SERVICED) (Not
									Serviced)
	RYSLER VIPER (SI								
IES RT/10	LINE D = F	Dodge	BODY 27 = Conv	/ertible	ENGINE EWB = 8	.0L 10 Cyl. S		RANSMIS FC = 6 St	SION beed Manual
GTS Co		Jouye	27 = Conv 29 = Coup			.0L 10 Cyl. 3 III 8.0L Gas		3B = All N	

Lamps and Wiring - Rear Figure 008-1110



		PART										
ITE	М	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1	8	4642 910	1			27				PANEL, Chmsl Cover		
1	9	4763 042	1		29 LAMP, Liftgate Chmsl							
-2	0									BULB, 168		
		L000 0168	2			29				Chmsl		
			2			27				Chmsl		
2	1	4848 767	1			29				BRACKET, Trunk Lamp Mounting		
2	2	5209 554	1			29				LENS, Cargo Lamp		
2	3	L000 0912	1							BULB, 912, Cargo Lamp		

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Wiring - Engine and Related Parts Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NUMBER	QII	LINE	SERIES	BODT	ENGINE	IKANS	I KIIVI	DESCRIPTION
NB=8.(L V10 SFI								
1									WIRING, Engine
	4763 760AB	1				EWB			Lower
	4848 501AC	1				EWB			Upper
-2	4848 285AC-	1				EWB			WIRING, Alternator
-3									BRACKET, Wire Harness
	4848 779	2				EWB			3/8'x1/4'
	4848 860AA-	1				EWB			1/4'x1/4'
-4	4848 344AB-	1				EWB			BRACKET, Wiring Harness
-5	5245 237AB-	7				EWB			SEPERATOR, Ignition Cable
6	4642 610AB	1							WIRING, Battery Negative
7	4763 057AB	1				EMD			WIRING, Battery Positive
-8 9	4848 507 5602 6779	1				EWB EWB			WIRING, Engine Ground SENDING UNIT, Oil Pressure
9	5602 6779	1				EVVD			SENDING UNIT, Oil Pressure
)DGE CHF	RYSLER VIPER (SI		DODY		ENCINE			DANISMIC	SION
DDGE CHF :RIES = RT/10 = GTS Co	LINE D = [BODY 27 = Co 29 = Co	nvertible	ENGINE EWB = 8.	OL 10 Cyl. SI	FI D	RANSMIS EC = 6 Sp BB = All M	peed Manual

Wiring - Headlamp to Dash Figure 008-1305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 082AK	1							WIRING, Headlamp and Dash
-2	5600 7098	1							FLASHER
-3	4604 611	1							COVER, Power Distribution Cente



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY

27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Wiring - Instrument Panel Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II LIVI	NOMBER	<u> </u>	LINE	3ERIE3	ВОВТ	LNOINE	INANO	TIKIM	DESCRIPTION
1	4763 138AH	1							WIRING, Instrument Panel
2									BLOCK, Fuse, (Pia in Wire Harness
-3	4848 297	1							(NOT SERVICED) (Not Serviced) COVER, Fuseblock
-4	4848 579	1							LABEL, Fuse Block
-5	5600 7098	1							FLASHER, Turn Signal
-6									FUSE, (See Manual), (NOT REQUIRED)

S = RT/10 S = GTS Coupe X = GTS/Lemans


D = Dodge

27 = Convertible 29 = Coupe

EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

DEC = 6 Speed Manual
DBB = All Manual

Wiring - Body and Accessories Figure (



ITEM		. 1								
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM		DESCRIPTION
1									WIRING, E	Body
•	4763 077AE	1			29					
	4848 075AB	1			27					
-2	5245 041	1							WIRING.	Fransmission
-3	4763 057AB-	1								Battery Positive
-4	4642 610AB-	1								Battery Negative
-5									WIRING, [
•	4763 075AB-	1							Right	
	4763 076AB-	1							Left	
-6	4481 618	2								Side Repeater Lamp,
-		-							Export	- 1
-7	4848 156AC-	1			29					Electric Back Light, Grou
					-				- ,	3 ,, 1

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Connector Repair Package Figure 008-1610

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			1			1	
	1	5013 930AA-	1							WIRING PACKAGE, Underhood
										Connector Repair, For Electrical Connector Repair Information visit
										the World Wide Web at http://dto.
										vftis.com/mopar/disclaimer.asp
For Electrical Connector Repair Information visit										
the World Wide Web at										
http://dto.vftis.com/mopar/disclaimer.asp										
	DODGE CHE SERIES S = RT/10 S = GTS Co X = GTS/Le	oupe	SR) E Dodge	BODY 27 = Co 29 = Co	onvertible oupe	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S All 8.0L Gas	FI DE	ANSMIS EC = 6 Sp BB = All M	peed Manual



	PART	0.71/		050156	Denv.				DECODINE:
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NB=8.	0L V10 SFI								
1									SEPERATOR, Ignition Cable
	5245 237	7				EWB			Before 6-3-98
	5245 237AB	7				EWB			After 6-3-98
2	4883 365AA	1				EWB			CABLE PACKAGE, Ignition
3									WIRE, Spark Plug
	4763 780	1				EWB			[#1]
	4763 781	1				EWB			[#2]
	4763 782	1				EWB			[#3]
	4763 783	1				EWB			[#4]
	4763 784	1				EWB			[#5]
	4763 785	1				EWB			[#6]
	4763 786	1				EWB			[#7]
	4763 787	1				EWB			[#8]
	4763 788	1				EWB			[#9]
	4763 789	1				EWB			[#10]
4	5602 7275	10				EWB			SPARK PLUG, RC-12-LYC5
-5	5302 0419	10				EWB			SHIELD, Heat, Spark Plug
6	5603 2520	1				EWB			COIL, Ignition, 6-Lead
7	5603 2521	1				EWB			COIL, Ignition, 4 Post

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 08A

Instrument Panel and Radios and Consoles






GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel Instrument Panel	Fig. 08A-110
Instrument Panel Cluster	
Gauge Cluster	Fig. 08A-210
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Antenna-Speakers	Fig. 08A-310
Consoles	
Console	Fig. 08A-410

Instrument Panel Figure 08A-110



ITEM	NUMBER			l					
		QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	LB39 JX8AF	1							FASCIA, Instrument Panel
-2	6503 519	6							CLIP, M7.25x16.20, I/P Fascia
									Attaching
3									SUPPORT, Instrument Panel
	4763 604	1							Right
	4763 605	1							Left
4									PANEL, Instrument Closure
	5245 939AC	1							Right
	5245 962AB	1							Left
5	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Close Out
-6	6034 833	36							CLIP, Push, .164-7.5, I/P Carrier
7	4763 468AC	1							CARRIER, Instrument Panel
8									PLATE, Instrument Panel Support
	4763 610	1							Right
	4763 611	1							Left
9	0154 555	2							SCREW
10									PAD, Instrument Panel
	LB36 BX7AC	1							Black, Lower Right
	LB36 SB4AC	1							Bright Blue, Lower Right
11									PAD, Instrument Panel
	QN71 SB4AB	1							Bright Blue, Lower Left
	QN71 SX7AB	1							Black, Lower Left
12									BEZEL, Instrument Panel
	KS79 JX8AD	1			29				Black, Center Bezel
	PK84 JX8AD	1			27				Black, Center Bezel
-13									CLIP, M5.35x12.65
	6032 268	6			27				Center Bezel attaching
		6			29				Center Bezel attaching
14	D221 SX8	1							ASH RECEIVER, Rear Door
15	6035 625	3							SCREW, Kneeblocker, Right & Le
-16	4848 773	1							COVER, Fuse Access
-17	4848 579	1							LABEL, Fuse Block
18	RW19 JX8AB	1							AIR BAG, Passenger
19									U-NUT, [.190-16] Screw, (NOT
									SERVICED) (Not Serviced)
20									SCREW, .190-12x.625, (NOT
									SERVICED) (Not Serviced)
21	3420 2304	2							NUT, M5x.8
22									SWITCH, Headlamp
-	4763 135	1							- ,
	4763 596	1							Export
									•
DGE CH RIES	RYSLER VIPER (SF LINE	₹)	BODY		ENGINE		ті	RANSMIS	SSION

S = RT/10 S = GTS Coupe X = GTS/Lemans


D = Dodge

27 = Convertible 29 = Coupe

EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

DEC = 6 Speed Manual
DBB = All Manual

Instrument Panel Figure 08A-110




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-23	5245 299AB-	1							MODULE, Lighting Control,
										Instrument Panel lamp dimmer
	-24									KNOB, Head Lamp Switch
		4848 135	1							
		4848 136	1							Export
-	-25	4848 798	1							CAP, Screw Cover
	26									WASHER, (NOT SERVICED) (Not
										Serviced)
_	27									SCREW, [.190-16x2.00], (NOT
Ī										SERVICED) (Not Serviced)
	-28	4848 663	1			29				BEZEL, Security Indicator
	-29	4848 664	1			29				WIRING, LED Security, w/Lens

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

AR = Use as required -= Non illustrated part # = New this model year



	PART								
M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GAUGE, Speedometer
•	4763 850AB	1							With MPH
	4763 853AB	1							With KPH
2	4763 851AB	1							GAUGE, Tachometer
3	4763 128AB	1							MODULE, Message Center
4									GAUGE, Oil Pressure
	4642 133AB	1							
	4643 966AB	1							Canada, Export
5									GAUGE, Temperature
	4642 134AB	1							
	4643 967AB	1							Canada, Export
6	4642 135AB	1							GAUGE, Volt
7	4848 581AB	1							GAUGE, Fuel
-8	4848 154	1							CHIMNEY, Cluster

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Radios Figure

### PREMIUM, ALPINE STEREO W/CD 1		PART								_
4763 982AB 1 Sales Code (RBH) 4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 RADIO, AM/FM with CD 4763 982AB 1 Sales Code (RBH) 4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching	SH=PR	EMILIM ALDIN	JE STE	REO W/C	D					
4763 982AB 1 Sales Code (RBH) 4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching		LIVIIOIVI, ALI III	VL SIL	INLO VV/OL						RADIO. AM/FM with CD
4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching		4763 982AB	1							
-2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching										
69x19.05, Radio Attaching	-2									SCREW, Self Tapping, M4.2x1.
-3 4763 136 1 BRACKET, Radio										69x19.05, Radio Attaching
	-3	4763 136	1							BRACKET, Radio
									-	

551-8 585A

RBH

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									ANITENINA Coming durith
-1									ANTENNA, Serviced with Windshield, (NOT REQUIRED)
0	4040 05040	4							,
-2	4848 850AC-	1							COVER, Antenna Opening
3	4763 072AB	2							SPEAKER, Door, All Speakers
	5045 700	2			20				Serviced Only By ALPINE Dealer
4	5245 738	2			29				GRILLE, Speaker, Door
5									SCREW, .164-18x1.5 Not Serviced,
^									(NOT SERVICED) (Not Serviced)
6	4700 070				07				SPEAKER, Rear, 6.5
	4763 073	1			27				
7	4040 447	2			29				CDULE Creaker Conter
7	4848 147	1			27				GRILLE, Speaker, Center
8									RING, Speaker, (NOT SERVICED)
0									(Not Serviced)
9									SCREW, .164-15x.750, (NOT
40									SERVICED) (Not Serviced)
10									AMPLIFIER, Radio, Serviced Only
									By ALPINE Dealer, (NOT
	10.10.100								SERVICED) (Not Serviced)
11	4848 139	1							BRACKET, Amplifier Retainer
12	6100 266	2							BOLT AND WASHER, M6x1.0x20,
40	10.10.107								Ampliflier Retainer Attaching
13	4848 137	1							BRACKET, Amplifier, Assembly
14	6100 049	3							NUT AND WASHER, Hex, M6x1.0
-15	4709 110	1							CABLE, Amplifier Box, Windshield to
40	4700 440	4							Ampliflier
-16	4709 112	1							GROMMET, Antenna Amplifier
17	4709 109	1							BOX, Antenna Amplifier
18									SCREW, .190-16X.375, (NOT
4.0	10.10.000								SERVICED) (Not Serviced)
-19	4848 082	1							HOLDER, Fuse, Amplifier

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Console Figure 08A-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOWBER	QII	LINE	SERIES	БОЛ	ENGINE	INANO	IKIIVI	DESCRIPTION
1	D221 SX8	1							ASH RECEIVER, Rear Door, Black
-2	4643 872	2			27				CLIP, Ash Receiver Retention
3									BEZEL, Instrument Panel
	KS79 JX8AD	1			29				Black, Center
	PK84 JX8AD	1			27				Black, Center
4									SCREW, (NOT SERVICED) (Not
									Serviced)
5									CONSOLE, Front
	PF25 1XB	1							Black
	PF25 TX7	1							Graphite
6									SCREW, (NOT SERVICED) (Not
									Serviced)
-7									SHELL, Cigar Lighter
	3747 633	1			27				with Clamp
		1			29				with Clamp
	3747 634	1			27				
		1			29				
8	4685 536	1							KNOB AND ELEMENT, Cigar Lighte
9									BOOT, Parking Brake Lever
	PD66 TX9	1							Black
	PD66 SB4	1							Bright Blue
10	PD67 TX9	1							BOOT, Gearshift, Black, Leather
11	4848 038	1							BOOT, Gearshift, Inner, Rubber

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounting, Front 8.0L Engine	Fig. 009-110
Engine Mounting Rear 8 01 Engine	Fig. 009-120

Engine Mounting, Front 8.0L Engine Figure 009-110



09-110									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0004 500					514/5			DOLT 411
1	6034 523	4				EWB			BOLT, Alternator, w/Washer, (.375-16x4.00)
2	0152 344	4				EWB			NUT, .375-16
3	4796 376	2				EWB			BRACKET PACKAGE, Engine Moun
4	4643 546	2				EWB			SHIELD, Heat, Engine Mount
5									INSULATOR, Engine Mount
	4642 617	1				EWB			Left
	4643 530	1				EWB			Right
6	6025 022	2							NUT AND WASHER, Hex Nut-Coned
									Washer, .500-13
ODGE CH	IRYSLER VIPER (SR) -							
ERIES = RT/10	LIN	E : Dodge	BODY	nvertible	ENGINE EWR - 8	.0L 10 Cyl. S	TF FI DF	RANSMIS	SSION peed Manual


S = RT/10 S = GTS Coupe X = GTS/Lemans

27 = Convertible 29 = Coupe

EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


DEC = 6 Speed Manual DBB = All Manual


Engine Mounting, Rear 8.0L Engine Figure 009-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIY	LINE	SERIES	RODA	ENGINE	IKANS	IKIM	DESCRIPTION
1	6101 707	2							BOLT, M10x1.50x75, Trans.
									Crossmember to Frame,
2	6502 696	2							NUT, Hex Flange Lock, M10x1.5,
									Trans. Crossmember to Frame,
3	4643 318	1							MOUNT, Transmission
4	6501 596	2							SCREW AND WASHER, Hex Head
5	4763 813	1							M10x1.5x45 CROSSMEMBER, Transmission
6	6502 696	1							NUT, Hex Flange Lock, M10x1.5,
	0002 000	<u>'</u>							Mount to Trans. Crossmember,
ODGE CHI	RYSLER VIPER (SR)							
ODGE CHI ERIES = RT/10	LINE	SR)	BODY 27 = Cor	nvertible	ENGINE EWB = 8	.0L 10 Cyl. SF	TR FI DF	ANSMIS C = 6 Si	SION peed Manual

Group – 8.0L Engine 8.0L Ten Cylinder





Group – 8.0L Engine 8.0L Ten Cylinder




GROUP 8.0L - Engine 8.0L Ten Cylinder

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 8.0L Engine	Fig. 8.0L-110
Cylinder Head	1 ig. 0.0L 1 io
Cylinder Head 8.0L Engine	Fig. 8.0L-210
Cylinder Block	
Cylinder Block 8.0L Engine	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter Crankshaft and Pistons 8.0L Engine	Fig. 8.0L-410
Camshafts & Valves Camshafts and Valves 8.0L Engine	Fig. 8.0L-510
Timing Belt and Cover Timing Belt and Cover 8.0L Engine	Fig. 8.0L-610
Engine Oiling Engine Oiling 8.0L Engine	Fig. 8.0L-710
Manifolds Manifolds, Intake and Exhaust 8.0L Engine	Fig. 8.0L-810
Crankcase Ventilation Crankcase Ventilation 8.0L Engine	Fig. 8.0L-910
Oil Cooler 8.0L Engine	Fig. 8.0L-1110

I.D. Location 8.0L Engine Figure 8.0L-110


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	VIN Numb	er located on	right re	ar side of	cylinder blo	ock in front	of clutch I	nousing. S	ERIAL I	Number located on right lower front of
	cylinder 1	block above	oil filter.							LABEL, Equipment Identification, (NOT SERVICED) (Not Serviced)
ENGINE BLOCK (RIGHT SIDE) FRONT OF ENGINE O O O O O O O O O O O O O										
	DODGE CHRY SERIES S = RT/10 S = GTS Cou X = GTS/Lem	'SLER VIPER (S LINE D = I pe ans	Dodge	BODY 27 = Co 29 = Co	onvertible	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S	TF SFI DE DE	RANSMIS EC = 6 Sp BB = All M	SION Deed Manual Manual

Cylinder Head 8.0L Engine Figure 8.0L-210



Cylinder Block 8.0L Engine Figure 8.0L-310

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	4882 951AC-	1				EWB			GASKET PACKAGE, Engine Lower
2	4763 703AB	1				EWB			BLOCK, Short
3	J400 5149	4				EWB			DOWEL, Oil Pump
4	6034 166	10				EWB			PLUG, Cylinder Block Oil Hole
5	4429 678	2				EWB			PIN, Dowel



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY


27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Crankshaft and Pistons 8.0L Engine Figure 8.0L-410



Crankshaft and Pistons 8.0L Engine Figure 8.0L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4740 293	AR				EWB			Black
19									BEARING PACKAGE, Crankshaft
	4883 681AA	AR				EWB			Standard, Main +.030 Outside
									Diameter
	4883 682AA	AR				EWB			[.001 Undersize, Main +.030
									Outside Diamter]
	4883 683AA	AR				EWB			[.002 Undersize, Main +.030
									Outside Diamter]
	4883 684AA	AR				EWB			[.010 Undersize, Main +.030
									Outside Diamter]
20	5096 020AA	AR				EWB			BEARING PACKAGE, Crankshaft,
									.009" U/S
21	5096 021AA	AR				EWB			BEARING PACKAGE, Crankshaft
									thrust, .009" U/S
22	5096 022AA	AR				EWB			BEARING PACKAGE, Crankshaft,
									.010" U/S
23	5096 023AA	AR				EWB			BEARING PACKAGE, Crankshaft
									thrust, .010" U/S
24	5096 024AA	AR				EWB			BEARING PACKAGE, Crankshaft,
									.011" U/S
25	5096 025AA	AR				EWB			BEARING PACKAGE, Crankshaft
									thrust, .011" U/S
26	6034 749	1				EWB			KEY, Crankshaft Sprocket
27	5245 110	1				EWB			DAMPER, Crankshaft
28	6034 504	1				EWB			WASHER, Flat, .78x1.94
29	6034 505	1				EWB			SCREW, Hex Head, .75-16x2.25
30	6035 470	12				EWB			BOLT, Bearing Cap
31	6035 665	4				EWB			BOLT, Bearing Cap
32	6035 469	8				EWB			STUD, .562-12x5.670

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Camshafts and Valves 8.0L Engine Figure 8.0L-510



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5245 335	20				EWB			ROCKER ARM, Valve
_		5245 336	20				EWB			PIVOT, Rocker Arm
	3	4848 550	10				EWB			RETAINER, Rocker Arm Pedestal
	4	6034 499	20				EWB			BOLT, Hex Flange Head, .375-16x1.
										50
_	5	3300 3521	32				EWB			LOCK, Valve Spring Retainer
	6	5245 374	20				EWB			RETAINER, Valve Spring
	7	4761 616	20				EWB			SPRING PACKAGE, Valve
	8	5245 162	20				EWB			SEAT, Valve Spring
	9	5300 9886	10				EWB			SEAL, Valve Guide, Intake
	10	5300 9887	10				EWB			SEAL, Valve Guide, Exhaust
	11	4763 747	10				EWB			VALVE, Intake, Standard
	-12	4883 699AA-	AR				EWB			VALVE, Intake, .003" O/S, Orange
	-13	4883 700AA-	AR				EWB			VALVE, Intake, .015" O/S, Orange
	14	4763 748	10				EWB			VALVE, Exhaust, Standard
	-15	4883 702AA-	AR				EWB			VALVE, Exhaust, .005" O/S, Orange
	-16	4883 703AA-	AR				EWB			VALVE, Exhaust, .015" O/S, Orange
	-17	4883 704AA-	AR				EWB			VALVE, Exhaust, .030" O/S, Orange
	-18	5096 010AA-	AR				EWB			INSERT, Valve Guide
	19	5245 071	1				EWB			PLUG, Camshaft
	20	0141 195	1				EWB			DOWEL, .25x.62
	21	4713 439	20				EWB			TAPPET PACKAGE, Valve
	22	4763 708	1				EWB			CAMSHAFT, Engine
	-23	4883 695AA-	1				EWB			CAMSHAFT, Engine, .002" O/S
_										Journal
	-24									CAMSHAFT, Engine
		4883 696AA-	1				EWB			[+.003 Oversize Journal - Blue]
		4883 697AA-	1				EWB			[+.030 Oversize Journal - White]
_	25	4848 548	20				EWB			PUSH ROD, Valve
	26	5245 169	10				EWB			YOKE, Tappet Aligning
	27	5245 170	10				EWB			BOLT, .25-20x.88

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Timing Belt and Cover 8.0L Engine Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ļ					<u>I</u>			
1	5245 359	1				EWB			PLATE, Camshaft Thrust
2	0220 800	2				EWB			SCREW, Hex Head, .312-18x.75
3	4863 827	1				EWB			CHAIN PACKAGE, Timing
4	6034 749	1				EWB			KEY, Crankshaft Sprocket
5	6024 035	1				EWB			BOLT, Hex Head, .375-14x1.75
6	6035 558	9				EWB			SCREW, Hex Flange Head, .375-
									16x1.50
7	4763 745	1				EWB			GASKET, Chain Case Cover
8	4763 731AD	1				EWB			COVER, Timing Case
9	5245 135	1				EWB			SEAL, Rear Main Crankshaft

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Engine Oiling 8.0L Engine Figure 8.0L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 784	1				EWB			CAP, Oil Pressure Relief Valve
2	4848 785	1				EWB			SPRING, Oil Pressure Relief Valve
-3	2843 208AB-	2				EWB			PLUNGER, Oil Pressure Relief
									Valve, Serviced in Case Cover
4	4848 786	1				EWB			VALVE, Oil Cooler Pressure
5	4763 731AD	1				EWB			COVER, Timing Case
6	5245 525	1				EWB			ROTOR SET, Oil Pump
7	5245 128	1				EWB			COVER, Engine Oil Pump
8	6034 475	4				EWB			SCREW, Torx Head, .25-20x.75
9	4763 791AC	1				EWB			INDICATOR, Engine Oil Level
10	4763 792AC	1				EWB			TUBE, Engine Oil Indicator
11	4763 740	1				EWB			PICKUP, Engine Oil
12	0154 601	8				EWB			SCREW, Pan Head, .19-24x.5
13	0219 462	8				EWB			NUT, Hex, .250-20
14	5281 090	1				EWB			FILTER, Engine Oil
15	5300 7563	1				EWB			CONNECTOR, Oil Filter
16	6035 666	3				EWB			SCREW, Hex Flange Head, .25-
									20x1.00
17	4763 736	1				EWB			ADAPTER, Oil Filter
18	4763 738	1				EWB			SEAL, Drain Plug
19	5245 086AC	1				EWB			GASKET, Oil Filter Adapter
20	4848 331	2				EWB			CONNECTOR, Engine Oil Cooler
21	4763 737AB	1				EWB			GASKET, Oil Pan
22	4763 744	1				EWB			PAN, Engine Oil
23	6035 666	26				EWB			SCREW, Hex Flange Head, .25-
									20x1.00
24	4763 739	1				EWB			PLUG, Oil Drain
25	4848 705AB	1				EWB			TRAY, Windage
-26	5245 324	1				EWB			SEAL, Rear Main Crankshaft

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Manifolds, Intake and Exhaust 8.0L Engine Figure 8.0L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
1	4763 758AB	1				EWB			MANIFOLD, Intake
2	6034 166	10				EWB			PLUG, Cylinder Block Oil Hole
3	6035 666	20				EWB			SCREW, Hex Flange Head, .25-
									20x1.00
4	5245 194AB	2				EWB			GASKET, Intake Manifold
5	4848 339AB	2				EWB			GASKET, Exhaust Manifold
6									MANIFOLD, Exhaust
	4848 341	1				EWB			Left
	4848 342	1				EWB			Right
7	6034 595	20				EWB			WASHER, Coned, .340 x .750 x .180
8	0154 881AA	14				EWB			BOLT, Hex Head
9	6036 066AA	6				EWB			STUD
10									SHIELD, Exhaust Manifold
	5004 005AB	1							Left
	5004 006AB	1							Right
11	5245 585	1				EWB			SHIELD, Crank Position Sensor
12	6034 856	6							NUT AND WASHER, Hex Nut-E
									Teeth Washer, .312-24
13	4763 414	2				EWB			PLUG, Cylinder Block Oil Hole
14	5245 193	1				EWB			VALVE, Shrader

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Crankcase Ventilation 8.0L Engine Figure 8.0L-910



Oil Cooler 8.0L Engine Figure 8.0L-1110

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 310	1							LINE, Oil Cooler Inlet
2	4848 300	1							LINE, Oil Cooler Outlet
3	4643 826	1							COOLER, Engine Oil
4	6101 283	2							U-NUT, M8x1.25
5	6100 296	2							BOLT, Hex Head



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 011 Exhaust






GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System, U.S. and Canada	Fig. 011-115
Exhaust System, Export	Fig. 011-120
Heat Shields	
Heat Shield	Fig. 011-210

Exhaust System, U.S. and Canada Figure 011-115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 667	1							ISOLATOR, Exhaust Support
2	4763 629	2							SUPPORT, Exhaust Isolator
3	4709 038	5							ISOLATOR, Exhaust
4	4708 458	5							SUPPORT, Exhaust Isolator
5	6033 047	14							BOLT, Shoulder, .312-18x2.00
6	5245 788	1							MUFFLER, Exhaust
7	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Hanger
8	5245 034	1							HANGER, Muffler, Rear
9									RESONATOR AND PIPE, Exhaust
	4854 302AA	1							Right
	4854 303AA	1							Left
10									INSULATION, Thermal Sill Inner
	5245 814	1							Right
	5245 815	1							Left
11	6100 299	2							BOLT AND CONED WASHER, Hex
									Head, M8x45x17
12	4695 220AB	2							CLAMP, Exhaust, 57.2mm
13	4848 935AA	1							CLAMP, Exhaust, 2 1/2' Band
-14	4848 909AA-	2							CLAMP, Exhaust Manifold
15									CONVERTER, Catalytic
	4873 122	1							Right
	4873 123	1							Left
16	4763 586	2							GASKET, Exhaust, Ring, Exhaust
									Pipe to Manifold
17	4427 610	4							NUT, Hex Flange, M8x1.25
18	4709 106	1							HANGER BAR, Muffler
19	6101 542	2							SCREW, Hex Head, M8-1.25 x 20, Hanger Bar,


DODGE CHRYSLER VIPER (SR) SERIES LINE

SERIES
S = RT/10
S = GTS Coupe
X = GTS/Lemans

LINE D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Exhaust System, Export Figure 011-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 667	1							ISOLATOR, Exhaust Support
2	4763 629	2							SUPPORT, Exhaust Isolator
3	4709 038	5							ISOLATOR, Exhaust
4	4708 458	5							SUPPORT, Exhaust Isolator
5	6033 047	14							BOLT, Shoulder, .312-18x2.00
6									MUFFLER, Exhaust
	4763 668	1							Right
	4763 669	1							Left
7	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Hanger
8	5245 034	1							HANGER, Muffler, Rear
9									MUFFLER, Exhaust
	4763 588	1							Right
	4763 589	1							Left
10									INSULATION, Thermal Sill Inner
	5245 814	1							Right
	5245 815	1							Left
11	6100 299	2							BOLT AND CONED WASHER, Hex
									Head, M8x45x17
12	4695 220AB	2							CLAMP, Exhaust
13									CONVERTER, Catalytic
	4873 122	1							Right
	4873 123	1							Left
14	4763 586	2							GASKET, Exhaust, Ring, Exhaust
									Manifold to Exhaust Assembly
15	4427 610	4							NUT, Hex Flange, M8x1.25
16	4709 106	1							HANGER BAR, Muffler, Muffler
									Hanger
17	6101 542	2							SCREW, Hex Head, M8-1.25 x 20,
									Hanger Bar
18	4695 220AB	2							CLAMP, Exhaust
19	4848 935AA	1							CLAMP, Exhaust, 2 1/2' Band

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Heat Shield Figure 011-210






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I CIVI	NUMBER	<u> QII</u>	LINE	SERIES	ВОВТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
1									SHIELD, Heat
	4763 846	1							Right
	4763 847	1							Left
2	6035 135	2							SCREW, Shield, (.250-14x.875)
3	6029 074	6							U-NUT, .25-20, Shield
4	5245 730	1							SHIELD, Heat
5	6035 494	10							SCREW TAPPING & WASHER, He Head, .190-16X.500, Shield, (.190 16x.500)
ODGE CHI ERIES = RT/10 = GTS Co	RYSLER VIPER (S LINE D =	SR) - E Dodge	BODY 27 = Co 29 = Co	onvertible oupe	ENGINE EWB = 8 EW0 = A	3.0L 10 Cyl. S All 8.0L Gas	SFI DE	RANSMIS EC = 6 Sp BB = All N	peed Manual

Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No
Frames	
Frame	Fig. 013-110
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310

Frame Figure 013-110

PART



								1	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME
	4855 232	1							
	4886 458AA	1							Right Rear
	4886 459AA	1							Left Rear
2	4886 314AA	1							FRAME, Front Clip
3	4848 657	1							CROSSMEMBER, Front Frame
-4	4848 653	2							BRACKET, Sportbar
-5	4848 656	2							STUD PLATE, Sport Bar Support
									Bracket
-6	6503 571	3							SCREW AND WASHER, M10x1.
									50x35, Front Cross Member
7	4763 524AB	1							CROSSMEMBER, Differential,
									Differential Pinion Mtg.
8									SCREW, Hex Flange Head, M10x2
									5x65, (NOT SERVICED) (Not
									Serviced)
9	6502 696	3							NUT, Hex Flange Lock, M10x1.5,
									Transmission, Cross Member To
									Frame
10									STRUT, Support to Upper Rail
	4708 052	1							Right
	4708 053	1							Left
11	6101 780	2							SCREW, M6x1x25, to Upper
									Radiator
12	6025 335	4							SCREW

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



Fascia, Front Figure 013-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II LIVI	NOWBER	QII	LINE	SERIES	ВОВТ	LINGINE	TRANS	TIXIM	DESCRIPTION
17									HANDLE AND CABLE, Hood
17									Release
	4709 049	1							w/Cable Hood Release
		1							W/Cable 11000 Release
18	4709 049AB	ı							SCREW, (NOT SERVICED) (Not
									Serviced)
19									PAD, Bulkhead Spacer
	4709 275	2			27				Hood Alignment
	4703 273	2			21				1100d Alighment
20									BRACKET, Hood Latch
	4709 348	1							Hood Latch
	4709 348AB	1							
21									SCREW, (NOT SERVICED) (Not
									Serviced)
22	4854 247AA	1			29				DEFLECTOR, Air
-23	4854 316AA-	4			29				SCREW, Side Deflector to Fascia,
									10-24 x 3/4
-24	4854 317AA-	4			29				WASHER, Side Deflector to Fascia
-25	6025 002	4			29				NUT AND WASHER, Hex Nut-Cone
									Washer, .190-24
-26									FRAME, License Plate
	4708 268	1							
	4709 042	1							Export

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Rear
	SV63 1A9AA	1			29				Silver & Blue - Dual Stripes
	SV63 1RNAA	1			29				Silver & Red - Dual Stripes
	SV69 1A9AA	1			29				Silver & Blue - Dual Stripes EXPORT
	SV69 1RNAA	1			29				Silver & Red - Dual Stripes EXPORT
2	4763 098	1							BUMPER, Fascia, Reinforcement
-3									ADAPTER, Bumper Fascia, with
									Brackets
	5245 076	1			27				Right
		1			29				Right
	5245 077	1			27				Left
		1			29				Left
-4	4270 974	1							LICENSE PLATE KIT
5									SCREW, (NOT SERVICED) (Not
									Serviced)
6									NUT AND WASHER, (NOT
									SERVICED) (Not Serviced)
7									SCREW, (NOT SERVICED) (Not
									Serviced)
8	6025 335	8							SCREW
9	6101 448	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
10									SHIM, (NOT SERVICED) (Not
									Serviced)
-11									BRACKET, Towing
	4708 188	1			27				
		1			29				
-12	4643 662	1							FRAME, License Plate
-13									SHIELD, Heat
	4709 085	1			27				
		1			29				
14									RETAINER, Rear Fascia
	5245 790	1			29				Right
	5245 791	1			29				Left
-15	4763 373	1			29				FOAM AND TAPE, Fascia
	·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		·


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe


ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 014 Fuel






Group – 014 Fuel




GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube Fuel Filler Tube	Fig. 014-210
Fuel Lines And Filter	Fig. 014-310
Fuel Supply Tube	Fig. 014-410
Fuel Module	Fig. 014-510
Throttle Body Throttle Body	Fig. 014-610
Throttle Controls Throttle Controls	Fig. 014-710
Air Cleaner Air Cleaner	Fig. 014-810
Accelerator Pedal Accelerator Pedal	Fig. 014-1110

Fuel Tank Figure 014-110



ITEM	PART		LINE	SERIES	BODY	ENGINE	TDANG	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SEKIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 812	1							TANK, Fuel
2	4848 282AB								STRAP, Fuel Tank
3									SCREW AND WASHER, Hex Head
									M8x1.25x25, Locking, (NOT
									SERVICED) (Not Serviced)
									<u> </u>
-									
_		_		_	_	_	_	_	
)GF CUT	YSI EP VIDED "	SR1							
RIES	R ysler Viper (s Line		BODY		ENGINE		TF	RANSMIS	SION
OGE CHR RIES RT/10 GTS Co GTS/Ler	LINE D =	SR) – E Dodge	BODY 27 = Co 29 = Co	onvertible	EWB = 8.	.0L 10 Cyl. SF	FI DE	RANSMISS EC = 6 Sp BB = All M	peed Manual



	PART				2027				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TUBE, Fuel Filler
	4848 760AB	1			27				
	4848 811AB	1			29				
2									TUBE, Fuel Filler Vent
	4763 002AB	1			29				
	4763 008AB	1			27				
3	6502 089	1							CLAMP, HOSE CLAMP, Vent Hose
4									CAP, Fuel Filler
	4848 132	1							Fuel Filler Tube
	4763 684AB	1			29				Monza Metal Base
5									SCREW, Tapping, .19-16x.75, (NOT
									SERVICED) (Not Serviced)
6									CLAMP, Hose
	6502 090	2			29				
		2			27				
7									NUT, Hex Flange With Serration,
									(M8x1.25),, (NOT SERVICED) (No
									Serviced)

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Fuel Lines And Filter Figure 014-310



	PART		1]	l .		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 006	11							TUBE BUNDLE, Fuel Lines
2									SCREW, M8x1.25x25, (NOT
									SERVICED) (Not Serviced)
3	4708 317	1							FILTER, Fuel
4	3404 625	1							CLIP, Tube
5	4764 000	1							TUBE, Fuel
6	5201 7741	5							CLIP, Fuel Bundle
7	2207 919	3							CLIP, Parking Brake Cable, Fuel Line
8	6035 135	3							SCREW, Fuel Line Clip, (.250-14)
									875)
									·
	-								
DGE CH	IRYSLER VIPER (SR)							
RIES : RT/10	LIN	E Dodge	BODY 27 = Con	·+ihla	ENGINE EWB = 8	3.0L 10 Cyl. S	D	RANSMIS	SSION peed Manual
GTS C	oupe	Douge	27 = Con 29 = Cou		EW0 = I	3.0L 10 Cyl. S All 8.0L Gas	FI D)BB = All N	peed Manual Manual
	emans			P-		•••			

Fuel Supply Tube Figure 014-410



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5245 792	1				EWB			RAIL, Fuel
2	6035 666	10				EWB			SCREW, Hex Flange Head, .25
									20x1.00, Injector Mounting
3	5245 807	9				EWB			RETAINER, Fuel Injector
4	5245 724	10				EWB			INJECTOR, Fuel

S = RT/10 S = GTS Coupe X = GTS/Lemans


D = Dodge

27 = Convertible 29 = Coupe


EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

DEC = 6 Speed Manual DBB = All Manual

Fuel Module Figure 014-510



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWBER	(11	LINE	SERIES	ворт	ENGINE	IKANS	I KIIVI	DESCRIPTION
1	5200 5389	1							NUT, Fuel Pump Module
2	5201 8808	1							SEAL, Fuel Pump and Level Unit,
									Fuel Module
3	5011 546AA	1							MODULE KIT, Fuel Pump/Level Ui
4	5011 545AA	1							LEVEL UNIT KIT, Fuel
5	4897 498AA	1							FILTER KIT, Fuel, Module
6	4763 826	1							VALVE, Fuel Tank Rollover Safety Rollover
									Rollovei
ODOE O!"	DVOLED VIDED (O	·D\							
ERIES	RYSLER VIPER (S LINE		BODY		ENGINE		Т	RANSMIS	SION
= RT/10 = GTS Co	D = I	Dodge	27 = Cor 29 = Cor	nvertible upe	EWB = 8. $EWO = 4$.0L 10 Cyl. S III 8.0L Gas	FI D	EC = 6 S	peed Manual Manual



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 666	8				EWB			SCREW, Hex Flange Head, .25-
									20x1.00, Throttle Body
2									THROTTLE BODY
	4763 763	1				EWB			Left
	4763 766	1				EWB			Right
3	4863 996	1				EWB			SENSOR PACKAGE, Throttle
									Position
4	4848 126	2				EWB			GASKET, Throttle Body To Intake
5	5245 749	1				EWB			MOTOR AND BODY, IACV
6	6035 666	1				EWB			SCREW, Hex Flange Head, .25-
									20x1.00, AIS
7	4778 637	1				EWB			MOTOR KIT, A.I.S.
8	5245 373	1				EWB			GASKET, A.I.S. Motor
9	4763 805	1							HOSE, A.I.S. Supply
10	5300 9672	1				EWB			CONNECTOR, Emission Hose,
									Elbow, Map Sensor

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Throttle Controls Figure 014-710



3 6035 666 2 EWB SCREW, Hex Flange Head 20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable	2 4848 836AB 1 BRACKET, Accelerator Cable 3 6035 666 2 EWB SCREW, Hex Flange Head, .25-20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 4848 836AB 1 BRACKET, Accelerator Ca 3 6035 666 2 EWB SCREW, Hex Flange Hea 20x1.00 20x1.00 LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	2 4848 836AB 1 BRACKET, Accelerator Cable 3 6035 666 2 EWB SCREW, Hex Flange Head, .25-20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting										
3 6035 666 2 EWB SCREW, Hex Flange Hear 20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	3 6035 666 2 EWB SCREW, Hex Flange Head, .25- 20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	1	4763 969	1							CABLE, Accelerator
20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	2	4848 836AB	1							BRACKET, Accelerator Cable
4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	3	6035 666	2				EWB			SCREW, Hex Flange Head, .25
5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting										20x1.00
6 4882 274 1 EWB SCREW, Adjusting, Linkag	6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	4	4763 764	1				EWB			LINKAGE, Throttle Body
	Adjusting	5	4287 736	1							RETAINER, Throttle Cable
Adjusting	· · · ·	6	4882 274	1				EWB			SCREW, Adjusting, Linkage
	7 4606 041 1 EWB CLIP, Stud, Accelerator Cable										Adjusting
7 4606 041 1 EWB CLIP, Stud, Accelerator C		7	4606 041	1				EWB			CLIP, Stud, Accelerator Cable

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Air Cleaner Figure 014-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEIVI	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIW	DESCRIPTION
ā									Hellenie At I.I.
1	40.40.05.4				07				HOUSING, Air Inlet
	4848 054	2			27				Canada, U.S.
	4848 870AA	1			29				Export
	4848 054	4			27				Export
	5245 780AB	1							Export
		1			29				Canada, U.S.
2	5245 312	1							HOUSING, Air Outlet
3	5245 778AB	2							TUBE, Air Cleaner to T/Body, Air
									Cleaner to Throttle Body
4	5245 492	1							SCREW, Air Cleaner Cover
5	4848 321AB	1							TUBE, Crankcase Vent To Air
									Cleaner, Crankcase Vent to Air
									Cleaner
6	6502 018	2							CLAMP, Hose, M28.9 x 1.60, AIS
									Hose
7	4763 805	1							HOSE, A.I.S. Supply, Air Cleaner
8	5245 266	1							ELEMENT, Air Cleaner, Crankcase
									Vent Filter
9	5245 265AB	2							ELEMENT, Air Cleaner, Air Cleane
									Filter
10	4848 313	2							SCREW, Air Cleaner
11	5245 455	 1							HOSE, Crankcase Vent, Crankcase
• •		=							Vent to Air Cleaner
									vol. to / iii Olourioi

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Accelerator Pedal Figure 014-1110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 022AB	1							PEDAL, Brake, Clutch, and
									Accelerator
-2	4201 048	1							SEAL, Accelerator Shaft Bracke
-3	6100 516	2							NUT, Hex Flange Lock, M6
									Phosphate



DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 016


Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints


Illustration Title Group-Fig. No.

Propeller Shaft


 Shaft, Propeller
 Fig. 016-110









Group – 017 Rear Suspension






GROUP 17 - Rear Suspension

Group-Fig. No. Illustration Title **Rear Suspension** Fig. 017-120 Suspension, Rear




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 508	2							SHOCK ABSORBER, Suspension
	10 10 000								Rear
2	0120 123	2							PIN, Cotter, .125X1.25
3	0152 349	4							NUT, Hex, .50-20
4	6502 337	2							NUT, M10x1.5
5	6035 641	2							NUT, Hex, .625-18
6	6101 063	4							SCREW AND WASHER, M10x1.
									5x45
7	4763 159	2							LINK, Trailing Rear Suspension, v
									Boot
8	6100 969	2							BOLT, Hex Flange Head, M14x2.
									00x90
9	6504 189	2							SCREW, M14x2.00x127.00
10	6502 698	2							NUT, M14x2.0
11	4709 289	2							LINK, Rear Suspension Assist
12									SCREW, W/Washer M10x1.50x30
									00, (NOT SERVICED) (Not
									Serviced)
13	6502 556	2							NUT, Hex, M10-1.5
14	6100 219	2							NUT, Hex Jam, M10x1.5
15	4709 320	2							ARM, Control, Upper
16									ARM, Control
	4709 324	1							Lower, Right
	4709 325	1							Lower, Left
17	2269 232	4							CAM, Front Suspension Control A
18	6502 585	2							NUT, Engine Mounting, M12 x 1.7
19									SCREW, W/Washer M12x1.75x9
									00, (NOT SERVICED) (Not
									Serviced)
20	6035 670	4							NUT, Hex
21									SHIM, Tow Link To Frame
	4643 914	AR							(4U)
	4643 915	AR							(6U)
	4643 987	AR							(6D)
	4643 912	AR							(NOM)
	4643 913	AR							(2U)
	4643 985	AR							(2D)
	4643 986	AR							(4D)
22	4848 646	1							BAR, Rear Sway
23	4873 203	2							SPRING, Rear Coil
24	4709 316	2							BRACKET, Suspension, Rear Sho
25	4404 219	2							RETAINER, Sway Bar
26	4643 031	2							BUSHING, Sway Bar
	RYSLER VIPER (DODY		ENIONE				Olovi
RIES RT/10	LINI D = oupe	= Dodge	BODY 27 = Co 29 = Co	onvertible		.0L 10 Cyl. S	SFI [FRANSMIS DEC = 6 S _I DBB = All N	peed Manual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	6035 643	2							NUT, .562-18
28	0000 040								KNUCKLE, Rear
20	4709 281	1							Left
00	4709 282	1							Right
29	4848 174AB	4							BALL JOINT, Lower Control Arm
30	4709 309	2							ROD, Toe Link
-31	5012 650AA-	2							BUSHING, Shock Absorber
OGE CHI RIES	RYSLER VIPER (S LINE	R)	BODY		ENGINE			RANSMIS	


Group – 019 Steering



019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–400 Steering Linkage
			ê Name de la constant
019–500 Power Steering Pump			

GROUP 19 - Steering

Illustration Title	Group-Fig. No
Steering Wheel Wheel, Steering	Fig. 019-120
Steering Column Column Assembly And Mounting	Fig. 019-230
Steering Gear Gear, Rack & Pinion Power And Attaching Parts	Fig. 019-310
Steering Linkage Tie Rod Ends	Fig. 019-410
Power Steering Pump Pump And Hoses Power Steering	Fig. 019-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEEL, Steering
	PB41 SX9	1							Flat Black
	PB41 1XK	1							Black Carmel/Tan
	PB41 TB4	1							Blue
	PB41 TR1	1							Red
2	LB45 JX8AB	1							AIR BAG, Driver
3	6503 771	3							SCREW, Hex Flange Head,
4									M6x1x23
4									SWITCH, Horn, (Serviced with
									Wheel), (NOT SERVICED) (No
_	10.10.107								Serviced)
5	4848 437	1							CLOCKSPRING
6	6500 906	1							NUT, Hex Flange Lock, M14x1.5

SERIES
S = RT/10
S = GTS Coupe
X = GTS/Lemans

LINE D = Dodge

27 = Convertible 29 = Coupe EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Column Assembly And Mounting Figure 019-230



1 484 487 2 447 3 476 4 650 5 KJS 6 DH 7 BAO	48 908AB 74 334AB 70 103 63 861 03 210 95 PX8 469 JX8	1 1 1 1 2 1 1 1 1 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	COLUMN, Steering, Tilt Export U.S., Canada LEVER, Tilt Column Release SHAFT, Steering Column, Intermediate Gear To Column SCREW, Hex Flange Head, M10x 5x35.
484 487 2 447 3 476 4 650 5 KJS 6 DH 7 BAO 8 BAO 9 447	74 334AB 70 103 63 861 03 210 95 PX8 H69 JX8	1 1 1 2 1							Export U.S., Canada LEVER, Tilt Column Release SHAFT, Steering Column, Intermediate Gear To Column SCREW, Hex Flange Head, M10x
484 487 2 447 3 476 4 650 5 KJ9 6 DH 7 BA0 8 BA0 9 447	74 334AB 70 103 63 861 03 210 95 PX8 H69 JX8	1 1 1 2 1							Export U.S., Canada LEVER, Tilt Column Release SHAFT, Steering Column, Intermediate Gear To Column SCREW, Hex Flange Head, M10x
487 2 447 3 476 4 650 5 KJ9 6 DH 7 BA0 8 BA0 9 447	74 334AB 70 103 63 861 03 210 95 PX8 H69 JX8	1 1 1 2 1							U.S., Canada LEVER, Tilt Column Release SHAFT, Steering Column, Intermediate Gear To Column SCREW, Hex Flange Head, M10x
2 447 3 476 4 650 5 KJ9 6 DH 7 BA0 8 BA0 9 447	70 103 63 861 03 210 195 PX8 H69 JX8	1 1 2 1							LEVER, Tilt Column Release SHAFT, Steering Column, Intermediate Gear To Column SCREW, Hex Flange Head, M10x
3 476 4 650 5 KJS 6 DH 7 BAG 8 BAG 9 447	03 210 195 PX8 169 JX8	2 1 1							SHAFT, Steering Column, Intermediate Gear To Column SCREW, Hex Flange Head, M10x
4 650 5 KJ9 6 DH 7 BA0 8 BA0 9 447	03 210 195 PX8 169 JX8 A67 KX8	2 1 1							Intermediate Gear To Column SCREW, Hex Flange Head, M10x
5 KJ9 6 DH 7 BA0 8 BA0 9 447	195 PX8 169 JX8 A67 KX8	1							SCREW, Hex Flange Head, M10x
5 KJ9 6 DH 7 BA0 8 BA0 9 447	195 PX8 169 JX8 A67 KX8	1							_
6 DH 7 BA 8 BA 9 447	H69 JX8 N67 KX8	1							5x35.
6 DH 7 BA 8 BA 9 447	H69 JX8 N67 KX8	1							
7 BAI 8 BAI 9 447	467 KX8								SHROUD, Steering Column
8 BA		1							SHROUD, Lock Housing, Paint as
8 BA		1							Required
9 447	ACE KVO								SHROUD, Steering Column, Fixed
9 447	ACE ICVO								Paint as Required), Lower
	\65 KX8	1							SHROUD, Steering Column, Fixed
									Paint as Required, Upper
10	70 105	2							SCREW, Filister Head, #8-16x.25
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11 650	02 390	2							STUD, M6x1.00x43.80
12									WASHER, (NOT SERVICED) (No
									Serviced)
13 610	00 517	2							NUT, Hex Flange Lock, M8
									Phosphate, Steering Column to
									Toe Box Attch
14 650	01 730	4							NUT, Retainer, M6 x 1.00
15 610	01 308	2							NUT, U, M6x1
-16 560	02 1346	1							SWITCH, Ignition
-17 650	03 845	5							SCREW, Ignition Switch

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Gear, Rack & Pinion Power And Attaching Parts Figure 019-310



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
-1	5203 7501	1							END, Tie Rod, Package			
-2	5203 7502	1							BOOT, Steering Gear, Package			
3	4709 489	1							GEAR, Power Steering, Rack and			
									Pinion Power			
4	6034 710	4							WASHER, Flat			
5	6033 181	2		S					BOLT, Hex Head, .625-11x3.75			
6	4117 796	1							NUT, Pivot Arm			
7	6035 643	2							NUT, .562-18			
8	0120 123	2							PIN, Cotter			
9	4642 116	4							ISOLATOR, Steering Gear, Gear			
									Mtg.			
10	4708 035	2							O RING, Steering Gear, Gear			
									Bushing			
11	4708 475	AR							SHIM, Steering Gear, 0.5mm			
-12	4708 070	AR							SHIM, Steering Gear, 1.0mm			
-13	4708 068	AR							SHIM, Steering Gear, 1.5mm			
-14	4708 069	AR						SHIM, Steering Gear, 3.0mm				

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

	PARI												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
1	5203 7501	1							END, Tie Rod				
2	6035 643	2							NUT, .562-18				
3	0120 123	2							PIN, Cotter				
4									NUT, Jam (Service in Tie Rod End),				
									(NOT SERVICED) (Not Serviced)				



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Pump And Hoses, Power Steering Figure 019-510



	PART	0.77/		050150	Denv				DECORIDE ON
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ote: Sa	ales Code EWE	3= 8.0L '	V10 SFI						
1	4642 153	1				EWB			PUMP, Power Steering, w/Out Pulled
2	5245 799	1				EWB			BRACKET, Power Steering Pump
3	6034 244	4				EWB			SCREW AND WASHER, Hex Head
									.312-18x3.50
4	6035 558	3				EWB			SCREW, Hex Flange Head, .375-
									16x1.50
5	4796 473	AR							CAP, Power Steering Reservoir
6	4848 104	1							HOSE, Power Steering Pressure
7	4642 601	1							HOSE, Power Steering Return
8	2448 761	2							CLAMP, Hose, Return Hose
9	5301 1017	1				EWB			PULLEY, Power Steering Pump
10	4848 617	1							COOLER, Power Steering
11									HOSE, Power Steering Return
	3879 925	1							Pump To Cooler
	4642 601	1							
12	6022 202	2							SCREW AND WASHER, Hex Head
									.25-20x.625
-13	8350 3495	1				EWB			RESERVOIR, Power Steering Pum

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group - T56 Manual Transmission 6 Speed



T56-100 Transmission	T56–200 Case & Extension	T56–300 Transmission Mounting	T56-400 Gear Train
			00000
T56–900 Forks and Rails	T56-1200 Gear Shift Controls		
The state of the s			


GROUP T56 - Manual Transmission 6 Speed

Illustration Title	Group-Fig. No
Transmission	
Transmission Assembly	Fig. T56-110
Case & Extension Case And Extension	Fir. T50 240
	Fig. T56-210
Transmission Mounting Transmission Mounting	Fig. T56-310
Gear Train Gear Train	Fig. T56-410
Forks and Rails Shift Forks, Rails, Miscellaneous Parts	Fig. T56-910
Gear Shift Controls	
Gear Shift	Fig. T56-1210

Transmission Assembly Figure T56-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DE	EC - 6 Spd N	Manual Tra	ans						
1	5018 770AA	1					DEC		TRANSMISSION, 6 speed, WITHOUT 4626594 Bell Housing
DODGE CHR	YSLER VIPER	(SR) –							
DODGE CHRY SERIES S = RT/10 S = GTS Cou X = GTS/Lem	LIN D = ipe nans	ÌE ´ = Dodge	BODY 27 = Co 29 = Co	nvertible upe	ENGINE EWB = 8. EW0 = A	0L 10 Cyl. SI Il 8.0L Gas	TR FI DE DB	ANSMISS C = 6 Sp B = All M	SION leed Manual Ianual

Case And Extension Figure T56-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DE	EC - 6 Spd Ma	anual Tr	rane						
	4626 460	1	ans				DEC		CASE, Transmission
	4626 591	1					DEC		PLUG, Oil Fill, Drain
_	4626 511	1					DEC		ADAPTER, Transmission, Front
	4886 337AA	1					DEC		CASE, Transmission Rear, Rear
5	4626 461	1					DEC		STUD
	4626 568	1					DEC		NUT, Transmission Case
-7	4626 513	1					DEC		DOWEL, Transmission Case
-8	4626 514	1					DEC		DOWEL, Transmission Case
-9	4626 515	1					DEC		SEAL, Input Shaft, Input Shaft
-10	4626 520	1					DEC		BOLT, Transmission Case
-11	4626 567	1					DEC		MAGNET, Transmission
-12	4626 520	1					DEC		BOLT, Transmission Case
-13	4626 573	1					DEC		BREATHER, Transmission Case
-14	4626 591	1					DEC		PLUG, Oil Fill, Front Adapter
									Inspection
-15	4626 592	1					DEC		VENT, Transmission Pipe
-16	4626 570	1					DEC		CLIP, Vent Tube, Vent Tube
17	4531 216	AR							SEAL, Extension Yoke

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Transmission Mounting Figure T56-310



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4763 813	1							CROSSMEMBER, Transmission,
_										Transmission Mounting
	2	6502 696	3							NUT, Hex Flange Lock, M10x1.5
	3	6501 596	2							SCREW AND WASHER, Hex Head,
										M10x1.5x45, w/ WASHER (M10x1.
										50x45.00)
	4	4643 318	1							MOUNT, Transmission, Transmission
	5	6101 707	2							BOLT, M10x1.50x75
	6	6503 571	12							SCREW AND WASHER, M10x1.
										50x35
	7	4642 876	1							PLATE, Floor Console

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Gear Train Figure T56-410



	PART				_				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: F	NEO 00-4M								
1 1	DEC - 6 Spd M 4626 574	anuai II 1	ans				DEC		INPUT SHAFT PACKAGE,
•	1020 07 1	•					DLO		Transaxle, w/Bearing
2	4626 737	1					DEC		BEARING PACKAGE, Input Shaft
3	4626 535	1					DEC		STOP RING, Synchronizer
	4626 736	<u>'</u> 1					DEC		BEARING PACKAGE, Mainshaft,
4	4020 730						DEC		Front
_	4606 407	4					DEC		SNAP RING
5	4626 487	1							
6	4626 474	1					DEC		STRUT, Synchronizer
-7	4626 475	1					DEC		SPRING, 3rd And 4th Synchronizer
8	4626 471	1					DEC		GEAR, Third
9	4626 469	1					DEC		NEEDLE BEARING, Third Gear
-10	4626 470	1					DEC		SPACER, Third Gear
11	4626 549	1					DEC		BEARING CONE, Idler Gear,
									Reverse
12	4626 467	1					DEC		MAINSHAFT, Transmission
13	4626 469	1					DEC		NEEDLE BEARING, Third Gear, 2r
									Speed Needle
14	4626 478	1					DEC		GEAR, Second
15	4626 564	1					DEC		SNAP RING, Mainshaft
16	4626 484	1					DEC		FRICTION CONE, Second Gear
									Inner
17	4626 485	1					DEC		FRICTION CONE, Second Gear
									Inner
18	4626 483	1					DEC		RING, 1st and 2nd Speed Blocker
19	4626 481	1					DEC		KEY, Synchronizer
-20	4626 482	1					DEC		SPRING, Synchronizer
21	4626 536	1					DEC		SNAP RING
22	4626 487	1					DEC		SNAP RING
23	4626 488	1					DEC		NEEDLE BEARING, First Gear, 1st
									Speed Needle
24	4626 489	1					DEC		GEAR, First
25	4626 734	1					DEC		BEARING PACKAGE, Mainshaft,
									Rear
-26	4626 486	1					DEC		THRUST WASHER, First And
	1020 100	•					220		Second Gear
-27	4626 552	1					DEC		GEAR, Fifth, 5th - 6th Speed Driver
-28	4626 474	<u>'</u> 1					DEC		STRUT, Synchronizer
-20 -29	4626 534	1					DEC		SPRING, Synchronizer
	4626 554	1					DEC		RETAINER, Reverse Syncro
-30		1							•
-31	4626 555	1					DEC		WASHER, Reverse Thrust
-32	4626 556	1					DEC		WASHER, Reverse Wave


DODGE CHRYSLER VIPER (SR) SERIES LINE

S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Gear Train Figure T56-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	-								
-33	4626 557	1					DEC		RING, Reverse Blocker
-34	4626 536	1					DEC		SNAP RING
-35	4626 558	1					DEC		NEEDLE BEARING, Reverse Gear
-36	4626 559	1					DEC		GEAR, Reverse
-37	4626 560	1					DEC		WASHER, Reverse Thrust
-38	4626 562	1					DEC		WASHER, Mainshaft
-39	4626 563	1					DEC		NEEDLE BEARING, Mainshaft Rear
-40	4626 564	1					DEC		SNAP RING, Mainshaft, Bearing
									Race
-41	4626 536	1					DEC		SNAP RING
-42	4626 565	1					DEC		SNAP RING
-43	4626 566	1					DEC		ROTOR, Speedometer
44	4626 735	1					DEC		BEARING PACKAGE, Countershaft,
									Front
45	4626 464	1					DEC		GEAR, Cluster
46	4626 733	1					DEC		BEARING PACKAGE, Countershaft,
									Rear
47	4626 539	1					DEC		GEAR, Sixth
48	4626 538	1					DEC		BEARING, Sixth Gear
49	4626 474	1					DEC		STRUT, Synchronizer
-50	4626 534	1					DEC		SPRING, Synchronizer
-51	4626 535	1					DEC		STOP RING, Synchronizer
-52	4626 536	1					DEC		SNAP RING
53	4626 531	1					DEC		GEAR, Countershaft Fifth
-54	4626 530	1					DEC		NEEDLE BEARING, Fifth Gear
55	4626 529	1					DEC		GEAR, Countershaft
56	4626 736	1					DEC		BEARING PACKAGE, Mainshaft,
									Countershaft Extension
-57	4626 537	1					DEC		SPACER, Sixth Gear
-58	4626 541	1					DEC		THRUST WASHER, Sixth Gear
-59	4626 545	1					DEC		FUNNEL, Counter Shaft, Extension
-60	4626 547	1					DEC		IDLER SHAFT, Transmission
-61	4626 548	1_					DEC		GEAR, Reverse Idler
-62	4626 550	1					DEC		WASHER, Reverse Idler
-63	4626 527	1					DEC		BOLT
-64	4626 551	1					DEC		BRACKET, Reverse Idler Shaft


DODGE CHRYSLER VIPER (SR) SERIES LINE


S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Shift Forks, Rails, Miscellaneous Parts Figure T56-910





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
NOTE: D	EC - 6 Spd Ma	anual Tr	ans						
1	4626 498	1					DEC		RAIL, Top, Top Shift
2	4626 499	1					DEC		FORK, Third and Fourth
3	4626 502	1					DEC		PAD, Shift Fork
4	4626 505	1					DEC		FORK, First and Second
5	4626 502	1					DEC		PAD, Shift Fork, 1st-2nd Shift Fork
6	4626 492	1					DEC		RAIL, Reverse Shift
7	4626 553	1					DEC		FORK, Transmission, Reverse
8	4626 496	1					DEC		PAD, Shift Fork, 5th, 6th and
									Reverse
-9	4626 540	1					DEC		FORK, Fifth Shift
-10	4626 493	1					DEC		PIN, Roll
-11	4626 494	1					DEC		COLLAR, Reverse Shift
-12	4626 495	1					DEC		LEVER, Fifth and Sixth, w/
									BUSHING
-13	4626 497	1					DEC		LEVER, Reverse
-14	4626 493	1					DEC		PIN, Roll
-15	4626 503	1					DEC		PLATE, Shift
16	4626 506	1					DEC		ARM, Gearshift Selector
-17	4626 493	1					DEC		PIN, Roll
-18	4626 507	1					DEC		PLATE, Transmission Module,
									Interlock
-19	4626 508	1					DEC		BOLT, Shift Lever Guide
-20	4626 512	1					DEC		BUSHING, Shift Rail, Top Shift Rail
-21	4626 521	1					DEC		PLATE, Transmission Shifter, Guide
00	4704 000	4					DEO		6th Speed
-22	4761 999	1					DEC		LEVER, Offset, Offset Front
-23	4626 523	1					DEC		SPRING, Detent Offset
<u>24</u> -25	4626 526 4626 527	1 1					DEC DEC		BALL, Check, Offset Detent BOLT
-25 -26	4626 528	1					DEC		LEVER, First and Fourth
-20 -27	4626 493	1					DEC		PIN, Roll
-2 <i>1</i> -28	4626 493	1					DEC		PIN, Roll
-29	4626 542	1					DEC		SNAP RING, Shift Fork, 5th - 6th
-23	7020 042	'					DLO		Shift Fork
-30	4626 512	1					DEC		BUSHING, Shift Rail, Top Shift Rail
-31	4626 561	1					DEC		SNAP RING, Shift Fork, Reverse
	.020 001	•					DLO		Fork
-32	4626 569	1					DEC		PLATE, Transmission Shifter, Front
02	.520 500	•					220		Shifter Cover
-33	4626 571	1					DEC		BOLT, Shifter Cover
-34	4626 577	<u> </u>					DEC		HOUSING, Shift
.	3	•							,

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Shift Forks, Rails, Miscellaneous Parts Figure T





T56-910									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-						-		
-35	4626 578	1					DEC		O RING, Shift Detent Housing,
									Transmission
-36	4626 571	1					DEC		BOLT, Shifter Cover
-37	4626 579	1					DEC		LEVER, Offset, Rear
-38	4626 493	1					DEC		PIN, Roll
-39	4626 586	1					DEC		SNAP RING, Reverse Inhibitor, Reverse Lockout
-40	4626 587	1					DEC		O RING, Reverse Inhibitor, Manual Transmission, Reverse Lockout
-41	4626 588	1					DEC		LEVER, Gearshift
-42	4626 578	1					DEC		O RING, Shift Detent Housing, Transmission

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Gear Shift Figure T56-1210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	HD42 1XB	1							KNOB, Gearshift Graphite
	HD42 1XB	1							Black
	4709 410	1							ISOLATOR, Shift Lever
3	0124 934	1							NUT, Hex Jam, .50-20, Lock (.500-
									20)
-									
-									
-									
-									
SERIES	YSLER VIPER (S LINE		BODY		ENGINE		T	RANSMIS	SSION
S = RT/10 S = GTS Cou	D = I	Dodge	27 = Co 29 = Co	nvertible upe	EWB = 8 $EW0 = A$.0L 10 Cyl. S III 8.0L Gas	FI D D	EC = 6 S BB = All I	peed Manual Manual
X = GTS/Len	nans			•			_		

Group – 022 Wheels, Covers and Jacks





GROUP 22 - Wheels, Covers and Jacks


Illustration Litle	Group-Fig. No
Wheels and Hardware Wheels And Hardware	Fig. 022-110
Wheel Covers and Center Caps Caps, Wheel	Fig. 022-210
Jack Stowage Jack Stowage	Fig. 022-310
Spare Tire Stowage Wheel, Spare	Fig. 022-410

Wheels And Hardware Figure 022-110


			PART								
		ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1										
	╗ ! .	1									WHEEL, Aluminum
			MC25 PAKAE								Silver (WFS), Front
			MC36 PAK	2							Silver (WFS), Rear
			QV40 SZ2AB								Polished Aluminum (WFL), Front
	.		QV41 SZ2AB								Polished Aluminum (WFL), Rear
			SM08 WD2A								with GT-2, 10x18 (WPE), Front
		0	SM09 WD2AA								with GT-2, 13x18 (WPE), Rear
			6034 958 4854 268AA	24							NUT, Hex, .50-20
	-	3	4004 Z00AA	12							NUT, Wheel, used with GT-2 Wheels (WPE)
		4	4708 167	1							TOOL, Wheel Cap Removal
			2073 355	1							STEM, Wheel Valve
	_		5013 756AA								VALVE, Shrader, used with GT-2
	'		3013 130AA								Wheels (WPE)
											vviicoio (vvi L)
	1										
	•										
	4										
	1 1 .										
	:										
	.										
	_										
	-										
	!										
$\left \begin{array}{c} \\ \\ \end{array} \right \left[\begin{array}{c} \\ \\ \end{array} \right] \left[\begin{array}{c} \\ \\ \end{array} \right] \left[\begin{array}{c} \\ \\ \end{array} \right]$	7] .										_
	기 기										
		DODO- 0:	DV01 FD 1#222 12	5 \							
5		DODGE CHF SERIES	RYSLER VIPER (S LINE	K)	BODY		ENGINE		TF	RANSMIS	SSION
		S = RT/10	D = [Dodge	27 = Co	nvertible	EWB = 8	.0L 10 Cyl. S	SFI DI	EC = 6 S	Speed Manual
·		S = GTS Co X = GTS/Le	oupe emans		29 = Co	oupe	= VVO = A	All 8.0L Gas	DI	BB = All l	Manual
	•	515/16									

Caps, Wheel Figure 022-210

				ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1		I	[SDK] = SI	les Codes: USPENSION								
					8" ALUMINU 8" ALUMINU								
				1	PU30 SZ2A(C 4							CAP, Wheel Center 17" ALUMINUM-POLISHED (WFL)
					MC48 PAK								17" ALUMINUM-SPARKLE SILVER
}				;	SM12 DX9A	A 2							(WFS) 18" ALUMINUM - PAINTED (WPE)
			I										
·													
ı	ļ		I										
ı													
			1										
			ı										
			I	DODGE CHRY	YSLER VIPER ((SR) -							
·			,	DODGE CHRY SERIES S = RT/10 S = GTS COU	D =	E Dodge	BODY 27 = Cor 29 = Cou	nvertible	ENGINE EWB = 8.	0L 10 Cyl. S ll 8.0L Gas	TR FI DE	ANSMIS EC = 6 Sp	SION beed Manual Manual
				S = GTS Cou X = GTS/Lem	nans		23 = 000	ihe	LVVU = A	ii 0.0L Gas	DB	אוווא – סי	nanuai



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4512 493	1							WINGNUT, Jack and Tire Hold Do
2	4695 774	<u>·</u> 1							JACK, Scissor
3	6033 599	1							BOLT, .375-16x3.75
4	4764 663AA	1							HANDLE, Jack
5	4704 003AA 4708 167	1							TOOL, Wheel Cap Removal
6	4708 107	1							LABEL, Tire Storage, Jacking
O	4700 007	1							Instructions
7	5050 540	4							
-7	5256 549	1							BAG, Jack Tool Storage, Tool
									Stowage
	VOLED VIDED (C								
DGE CHF	YSLER VIPER (S	SR)	BODY		ENGINE		TR	RANSMIS	SION
DGE CHR RIES RT/10 GTS Co	LINE D = I	GR)	BODY 27 = Con 29 = Cou	vertible	ENGINE EWB = 8.	.0L 10 Cyl. SR	FI DE	RANSMIS EC = 6 Sp BB = All M	peed Manual




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 1 L IVI	NOWIDER	Q I I	LINE	3LKIL3	ВОВТ	LINGINE	IKANS	TIXIM	DESCRIPTION
1	4512 493	1							WINGNUT, Jack and Tire Hold Dowr
2	4708 210	1							RETAINER, Spare Tire, Spare Whee
									Mounting
3	4643 212	1							WHEEL, Spare, Mini-Spare, Aluminum
4	6033 599	1							BOLT, .375-16x3.75
-5	LB98 SX9AB-				29				COVER, Spare Tire, Spare Tire


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 23D

Wiper/Lock Cylinder and Keys







GROUP 23D - Wiper/Lock Cylinder and Keys


Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Keys	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer	Fig. 23D-210


Lock Cylinders and Keys Figure 23D-110











ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: A	All Lock Cylinde	rs are l	Jncoded						
1	4883 828AA	1							KEY, Ignition
2	5003 845AA	1							CYLINDER, Ignition Lock
3	5010 879AA	1							TUMBLER, Ignition Number 1,
									Sidebar
-4	5010 880AA-	1							TUMBLER, Ignition Number 2,
									Sidebar
-5	5010 881AA-	1							TUMBLER, Ignition Number 3,
									Sidebar
-6	5010 882AA-	1							TUMBLER, Ignition Number 4,
									Sidebar
-7	5010 883AA-	1							SPRING, Ignition Tumbler, Sideba
8	4778 147	1							CYLINDER, Deck Lid Lock
9	4778 117	1							TUMBLER, Door and Deck Numb
									1, Wide
-10	4778 118	1							TUMBLER, Door and Deck Numb
									2, Wide
-11	4778 119	1							TUMBLER, Door and Deck Numb
									3, Wide
-12	4778 120	1							TUMBLER, Door and Deck Numb
									4, Wide
13	4778 121	1							SPRING, Door and Deck Tumbler
14	4746 903	1							CYLINDER, Glove Box Lock
15	5257 132	1							TUMBLER, Ignition Number 1, Glo
									Box Only Not Ignition
-16	5257 133	1							TUMBLER, Ignition Number 2, Glo
									Box Only Not Ignition
-17	5257 134	1							TUMBLER, Ignition Number 3, GI
									Box Only Not Ignition
18	5257 135	1							TUMBLER, Ignition Number 4, GI
									Box Only Not Ignition
19	4746 873	1							SPRING, Lock Cylinder Tumbler,
									Glove Box Only Not Ignition
20	4054 202	1							NUT, Cylinder Lock
21	4848 692	1			29				GASKET, Key Cylinder Isolator
22	5257 163	1							CAP, Lock Cylinder
23	3695 321	1							GASKET, Lock Cylinder
24	2583 377	1			27				RETAINER, Door Lock Cylinder
25	4778 151	1							SHUTTER, Door, Deck Lid, Black
26	5257 245	1							SPRING, Deck Lid Return
27	4723 494	1							LEVER, Deck Lid Lock Cylinder
28									MODULE, Keyless Entry Receive
-	4848 148AC	1							Export
									•
ODGE CH ERIES	RYSLER VIPER (S LINE		BODY		ENGINE			RANSMIS	SION
= RT/10		Oodge	27 = Cor	nvertible		.0L 10 Cyl. S			peed Manual
= GTS C	oupe	-	29 = Co	upe	EW0 = A	All 8.0L Gas	[DBB = All N	Manual

Lock Cylinders and Keys Figure 23D-110

ITEM

PART

NUMBER

4848 832

4848 151

5245 289

4848 290

QTY

AR

AR

1


LINE


SERIES


BODY


ENGINE











DODGE CHRYSLER VIPER (SR) SERIES

S = RT/10D = Dodge S = GTS Coupe X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

TRIM

DESCRIPTION


TRANSMITTER, Keyless Entry

STRAP, Module Mounting

Export

TRANS

Windshield Wiper and Washer Figure 23D-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Wiper Arm
									Retaining
2	4848 831	1							ARM, Wiper, Left
3	4642 532	1							BLADE, Wiper
4	HWV0 0532	1							HOSE, Washer And Vacuum, 50
									Foot Roll 5/32"
5	4805 010	1							CHECK VALVE, Washer
6	4643 877	1							CONNECTOR, Washer Hose, In Line
7	4708 009	2							SEAL, Wiper Motor
8									MOTOR, Wiper
	4643 065	1							Right
	4708 171	1							Left
9	6101 780	6							SCREW, M6x1x25, Windshield Wiper
									Motor Mounting
10	4874 876	1							RESERVOIR, Washer
11	4797 694	1							CAP, Washer Reservoir
12	0181 063	3							SCREW AND WASHER, .25-20x.75
-13	4798 779	1							GROMMET, Windshield Washer
									Pump
14	4864 634	1							PUMP, Washer, Windshield, with
									Seal
15	4848 291	1							SWITCH, Windshield Wiper, without
									Bracket

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 024

Air Conditioning & Heater





GROUP 24 - Air Conditioning & Heater

Illustration Title	Group-Fig. No.
Air Conditioner and Heater Units	
Blower Motor	Fig. 024-110
Hevac Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
Heater Plumbing	Fig. 024-210
Plumbing A/C	Fig. 024-220
Air Conditioner and Heater Controls	
Control Assembly	Fig. 024-310
Air Conditioning Compressor	
Compressor, A/C	Fig. 024-410
Air Ducts and Outlets	
Vents And Outlets	Fig. 024-610

5


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
1	4763 858AC	1							PLENUM, Blower Motor Inlet
2	6101 455	2							SCREW AND WASHER, Hex Head,
									M6x1x20
3									SCREW, .190-16x1.00, (NOT
									SERVICED) (Not Serviced)
4									WASHER, ID.211 OD.749 THK.071,
									(NOT SERVICED) (Not Serviced)
5	4848 021	1							BLOWER, w/Scroll, Blower
6									SCREW, Hex Flange Head, M6x1.
									00x20.00, M6x1.00x20.00, (NOT
									SERVICED) (Not Serviced)
7	6032 723	1							SCREW, Self Tapping, M4.2x1.
									69x19.05
-8	4874 453	1							RESISTOR, Blower Motor

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Hevac Unit Figure 024-120



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, A/C And Heater
	4874 423	1							
		1			27				Heater/Air Conditioning
-2	4763 972AB-	1							DUCT, A/C And Heater,
									Recirculating
-3	4874 425	1							CLIP, Spring
4	4874 422	1			27				COVER, Heater, Actuator
5	4874 375	1			27				ACTUATOR, Heater Door
6									ACTUATOR, Fresh Air Door
	4874 376	1							
		1			27				
-7	4848 515	1							ACTUATOR, Recirculation Door
8	4874 377	1			27				HARNESS, A/C And Heater Vacuu
									Vacuum Actuator
9	4708 364	1							WIRING, Heater and A/C
10	4708 205	1							THERMOSTAT, Air Conditioning
11									BRACKET, Heater Core
	4874 421	1							
		1			27				Heater Core
12									CORE, Heater
	4874 374	1							
		1			27				w/Seals Heater
13	4708 196	1							EVAPORATOR, Air Conditioning
14	4709 102	1							VALVE, A/C Expansion
15	4874 424	1							SEAL KIT, A/C And Heater Unit

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	Sales Codes:								
	8.0L V10 SFI								
1	4642 554	1							VALVE, Water Control, Water
2	4643 381	1							CABLE, A/C And Heater Control,
									Heater Control
3	4642 555	1							HOSE, Water Valve To Heater Co
									Valve to Core
4	6505 604AA	2							CLAMP
5	6502 017	2							CLAMP, Heater Hose
-6	6100 047	1							NUT AND WASHER, Hex Nut-Con
									Washer, M6 x 1.00
7	4763 975AB	1				EWB			HOSE, Heater Core To Engine
8	4763 974AC	1				EWB			HOSE, Engine to Water Valve
-9	5245 458AB-					EWB			TUBE, Heater
10	6035 728	2							SCREW, .190-16x1.00


S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge

27 = Convertible 29 = Coupe

EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

DEC = 6 Speed Manual DBB = All Manual



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
1	5245 035	1							LINE, A/C Suction	
2	4796 564	1							O RING, A/C Line, 5/8 inch	
3	4740 361	1							O RING, A/C Line	
-4	5011 346AA-	1							VALVE CORE, Service Port	
5	6035 583	2							CLIP, Wrap Around	
6	5264 642	1							CAP, A/C Check Valve	
7	4848 164	1							LINE, A/C Liquid	
8	5114 529AA	1							O RING, A/C Line, Drier	
9	5114 528AA	1						O RING, A/C Line, Condenser		
-10	5011 346AA-	1							VALVE CORE, Service Port	
11	5072 866AA	1							CAP, A/C Charge Valve	
12	5245 036	1							LINE, A/C Discharge	
13	4796 565	2							O RING, A/C Line	
14	4709 099	1							CLIP, Discharge Line, 1/2"	
15	4708 201	1							RECEIVER DRIER, w/Bracket	
16	5264 650	1							DECAL, A/C System Specification,	
									English	
17	4708 204	1							SWITCH, Dual Pressure	
-18	4848 672	1							TUBE, Filter Drier to Evaporator, w/	
									Switch, Tube/Harness	
19	4708 206	1							CONDENSER, Air Conditioning, w/	
									Bushings	
20	4708 365	1							HOSE, Drain, Drain	
21	4709 377	1							BRACKET, A/C Condenser, Upper	

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Control Assembly Figure 024-310

	ITEM	PART	OTV	LINE	eeniee	BODY	ENGINE	TDANC	TRIM DESCRIPTION
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	<u> </u>
	1	5245 298	1						CONTROL, A/C And Heater KNOB, Temperature Controller,
									Serviced in #1, (NOT SERVICED) (Not Serviced)
									(1101 00111000)
\bigcirc									
2									
	DODGE CH SERIES S = RT/10	RYSLER VIPER (S LINE D =	SR) - E Dodge	BODY 27 = Co	nvertible	ENGINE EWB = 8.	.0L 10 Cvl. SF	TR FI DF	RANSMISSION EC = 6 Speed Manual BB = All Manual
	S = RT/10 S = GTS Co X = GTS/Le	oupe emans	- 737	29 = Co	upe	EW0 = A	.0L 10 Cyl. SF all 8.0L Gas	DE	BB = All Manual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:	la a .								
Sales Coo	les: 0L V10 SFI								
	4848 584	1				EWB			COMPRESSOR, Air Conditioning
	6034 244	4				EWB			SCREW AND WASHER, Hex Head,
									.312-18x3.50
3	4882 801	1				EWB			MANIFOLD KIT, A/C Compressor
-4	4728 854	1				EWB			SEAL, Manifold To Compressor
	4897 330AA	1				EWB			PULLEY HUB KIT, A/C Compressor
-6	5264 452	1				EWB			CLUTCH OVERHAUL KIT, A/C
_	1000 000					514 (5)			Compressor
-7	4882 802	1				EWB			COIL, Stator, A/C Compressor Clutch
	YSLER VIPER (S								
SERIES S = RT/10	LINE D = I	Dodge	BODY 27 = Co	nvertible	ENGINE EWB = 8	.0L 10 Cyl. S		RANSMIS EC = 6 Si	SION peed Manual
S = GTS Cou	ipe		29 = Co			All 8.0L Gas		BB = All N	
X = GTS/Lem	iai i5								

Vents And Outlets Figure 024-610



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
	-		-	-	-	-	-			
1	4462 469	3							AIR OUTLET, Heater and A/C	
2	4643 122	1							DUCT, Air Outlet, Left, Heater, Left	
3	6032 723	4						SCREW, Self Tapping, M4.2x1.		
									69x19.05	
4	4848 764	1							ADAPTER, Defroster Duct, Defroster	
									Duct	
5	4763 113	1							VENT, A/C Duct Right, Right Duct	
6	4763 111	1							VENT, A/C Duct Left, Left Duct	
7	4763 972AB	1							DUCT, A/C And Heater	
8	6032 723	4							SCREW, Self Tapping, M4.2x1.	
									69x19.05	
9									SCREW, .190-16x.500, (NOT	
									SERVICED) (Not Serviced)	

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans


D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 025 Emission Systems

025-100








GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
Vacuum Canister	
Vacuum Canister	Fig. 025-310
Emission Harness	
Emission Harness	Fig. 025-410

	1		
	VEHICLE EMISSION CONTROL	INFORM	ATION
	THIS VEHICLE CONFORMS TO REGULATIONS APPLICABLE TO YEAR NEW MOTOR VEHICLES AT	MODE	<u>L</u>
	*BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.	LITER MCR2.5V5HHP7 MCRVB	SPARK PLUGS
	*ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.	IDLE + TIMING BTC	MAN
/ST	CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE	NO OTHER ADJ	USTMENTS NEEDED
CATALYSI	ELECTRIC EGR TRANSDUCER STRANS FURBÉ SOURNIDD BACK PRESSURE EGR VALVE FILTER VAC DRIFICE CHECK VALVE ORIFICE TO INTAKE MANIFOLD PCV VALVE	MEATED AIR DIAPH SEM	TO CRUISE CONTROL POWER BRAKE BRAKE BOOSTER TO HEATER A/C CONTROL
CORPORATION	PRESSURE RELIEF/ ROLLOVER VALVE FUEL TANK VAPOR CANISTER	TO AIR CLEAM	ER SILENCER CATALYST

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: N	AA=Federal E	mission	s. NAE=Ca	alifornia Em	nissions.				
1									LABEL, Emission
	4855 105AB	1							Mexico/Canada NAA
	4848 862AB	1							Export NAA
	4855 100AB	1							U.S. NAA
	4855 106AB	1							NAE
									_
DODGE CHR	YSLER VIPER (S	SR)							
SERIES S = RT/10	LINE	Dodge	BODY 27 = Co	nvertible	ENGINE EWB = 8	.0L 10 Cyl. S	FI D	RANSMIS	SION beed Manual
S = GTS Co	upe	Louge	29 = Co	upe	EW0 = A	III 8.0L Gas	D	BB = All N	Manual
X = GTS/Ler	nans								



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NUMBER	QII	LINE	SERIES	БОЛТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
1	6101 801	3							SCREW, Tapping Annular, M8x1.
									25x15
2	5013 433AA	1							BRACKET PACKAGE, Leak
									Detection Pump
3	4669 360	1							HOSE, Leak Detection Pump
4	4669 306AB	1							PUMP, Leak Detection
5	4612 901	1							FILTER, Fuel Vapor Vent
-6	6502 493	1							NUT, Hex Flange Serration, M6x1,
									Filter Attach
7	4669 359	1							HOSE, Leak Detection Pump
8	4669 456	1							CANISTER, Vapor
-9	6503 951	3							STUD, M6X1.00X.250-14X30.00,
									Canister To Bracket
-10	6035 482	3							SCREW, Tapping, .19-16x.375, Leak
									Detection Pump Attach

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Emission Harness Figure 025-410




ITEN.	PART	OT.	LINE	eenico	BODY	ENGINE	TDANO	TDISS	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTES:	Sales Code								
	8.0L V10 SFI E	Engine							
1	4763 804AD	1				EWB			HARNESS, Canister Purge
2	4848 757AB	1							HARNESS, Purge Body
3	4669 475AB	1							SOLENOID, Duty Cycle Purge
4	6100 270	2							SCREW AND WASHER, M6x1x4
5	4762 085	1							BRACKET, Duty Cycle Purge
									Solenoid
6	4669 268	2							GROMMET
7	3502 916	2							SPACER, Speed Control Servo
8	3420 1358	2							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00
9									ELBOW, Vapor Tube Harness, .2
									25 90 Degree, (NOT SERVICE)
									(Not Serviced)
									,
DGE CH	RYSLER VIPER (S	SR)							
RIES	RYSLER VIPER (S		BODY		ENGINE			RANSMIS	
	LINE D = I			ponvertible	EWB = 8	.0L 10 Cyl. SI	FI DE		peed Manual

Group – DSR

Doors and Related Parts






GROUP DSR - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell And Hinges	Fig. DSR-110
Door , Front Glass And Regulator	Fig. DSR-125
Door, Front Lock And Controls	Fig. DSR-130
Exterior Mirror	
Mirrors, Exterior	Fig. DSR-510
Weatherstrips and Seals	
Door, Front Seals Viper 27	Fig. DSR-610
Door, Front Weatherstrips And Seals Viner 29	Fig. DSR-620

Door, Front Shell And Hinges Figure DSR-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4763 922AD	1			29				Right
	4763 923AD	1			29				Left
	4848 620AB	1			27				Right
	4848 621AB	1			27				Left
2									COVER, B Pillar Trim Panel
	QB96 JX8AE	1			27				Right
	QB97 JX8AE	1			27				Left
	ME74 MX3AD	1			29				Right
	ME75 MX3AD	1			29				Left
-3	4763 963	1			29				BRACKET, Stanchion Cover Mtg.
-4									TAPE, Stanchion Cover, Rear of
									Door
	4848 916AA-	1			29				Right
	4848 917AA-	1			29				Left
5									WASHER, Cover Mtg., (NOT
									SERVICED) (Not Serviced)
6									SCREW, (NOT SERVICED) (Not
									Serviced)
7	5245 109	2							HINGE, Front Door
8	6502 549	4							SCREW, Pan Head, M8x1.25x30
9	6503 351	4							SCREW AND WASHER, Hex Head,
									M8x1.25x35
10									NUT, (NOT SERVICED) (Not
									Serviced)
11	6502 676	4							NUT, Hex, M6x1.00
12	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
13									COVER, Hinge
	4642 957	1							Left
	4642 956	1							Right
14	3502 2111	AR							SPACER, Fender, 1.0
15									SCREW, (NOT SERVICED) (Not
									Serviced)
16									TAPE, Stanchion Cover Shutface
	4848 918AB	1							Right
	4848 919AB	1							Left

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans
 D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door , Front Glass And Regulator Figure DSR-125



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	4763 268AB	1			29				Right
	4763 269AB	1			29				Left
2									GLASS, Door
	4848 470AB	1			27				Right
	4848 471AB	1			27				Left
-3	4763 280	2			27				UPSTOP, Front Door Window Glass
4	6501 373	6							SCREW AND WASHER, Hex Head,
									M6x1x20
5									CHANNEL, Front Door Glass
	4848 460	1			27				Right
	4848 461	1			27				Left
	4763 278	1			29				Right
	4763 279	1			29				Left
6	6504 199	4							SCREW, Hex Flange Head,
									M6x1x12
7	6502 843	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00
8									CHANNEL, Door Glass
	4763 285AB	1							Left
	4763 284AB	1							Right
9	6501 373	6							SCREW AND WASHER, Hex Head,
									M6x1x20
10	6500 284	2							NUT, Hex, M6x1.00
11	4658 734	2							STABILIZER, Door Glass Belt
12									REGULATOR, Front Door Window
	4763 282	1							Right
	4763 283	1							Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door, Front Lock And Controls Figure DSR-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	4763 186	1			27				Right
		1			29				Right
	4763 187	1							Left
2	6501 373	6							SCREW AND WASHER, Hex Hea
									M6x1x20, Latch
3									HOUSING, Door Remote Control
	4763 618	1			27				Right
	4763 619	1			27				Left
	4763 618	1			29				Right
	4763 619	1			29				Left
4									SCREW, Pan Head, .164-18x.50,
									(NOT SERVICED) (Not Serviced
5									U NUT, .190-16, (NOT SERVICED
									(Not Serviced)
6	4643 066	2							STRIKER, Door Latch, Door
7	4643 067	AR							SPACER, Door Lock Striker, Strike
8	4643 428	4							SCREW, Flat Head, M8x1.25x36.3
9	5245 098AB	2							INTERLOCK, Door Restraint
10	4763 553	AR							SPACER, Lower Door Restraint,
									Restraint
11	4763 554	2							INSULATOR, Restraint System
12	6503 665	4							SCREW, Flange Head, M6x1x18
13									HANDLE, Inside Manual Overide,
									Serviced in Trim Panel, (NOT
									SERVICED) (Not Serviced)
14									HANDLE, Front Door
	PS20 TX9	1			27				Flat Black, Right
	PS21 TX9	1			27				Flat Black, Left
	PS20 SX8	1			29				Black, Right
	PS21 SX8	1			29				Black, Left
15									NUT
	5245 795	1			27				
		1			29				
16	4848 479	2							PIN, Snap

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

•

	_							_	
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
1									SCREW, 6503666, (NOT
- 1									SERVICED) (Not Serviced)
2									MIRROR, Outside Rearview, (Export
2									
	4700 400	4							Left use 4709434)
	4709 433	1							Left
	4709 432	1							Right
									_
									_
									_
DODGE CHR	YSLER VIPER (SR)							
SERIES	LINI	E	BODY		ENGINE	a	TI	RANSMIS	SION
S = RT/10 S = GTS Co	D =	Dodge	27 = Co 29 = Co	nvertible	EWB = 8	.0L 10 Cyl. S III 8.0L Gas	FI D	EC = 6 S BB = All !	peed Manual Manual
X = GTS/Ler	mans		23 - 00	apo	L V V 0 - F	0.0L Gas	D	- VII I	viditadi

Door, Front Seals Viper 27 Figure DSR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						!		I	
1									SEAL, Door, Rear
	4848 204	1			27				Right
	4848 205	1			27				Left
2	4642 872	2							SEAL, Door
3									WEATHERSTRIP, A-Pillar to Roo
	4848 304AG	1			27				Right
	4848 305AG	1			27				Left
4									RETAINER, B Pillar Weatherstrip
	4848 464AB	1			27				Right
	4848 465AB	1			27				Left
-5									WEATHERSTRIP, Door Belt
	4854 261AA-	1			27				Outer, Left
	4854 262AA-	1			27				Outer, Right
	4763 890	1							Inner, Right
	4763 891	1							Inner, Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door, Front Weatherstrips And Seals Viper 29 Figure DSR-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 717	2			29				TAPE, Foam
2									RETAINER, Front Pillar to Glass
	4763 888AD	1			29				Right
	4763 889AD	1			29				Left
3									SCREW, (NOT SERVICED) (Not
									Serviced)
4									WEATHERSTRIP, Door Glass
	4763 878AD	1			29				Right
	4763 879AD	1			29				Left
5									WEATHERSTRIP, Door Belt
	4763 890	1							Right,Inner
	4763 891	1							Left,Inner
	4763 882AD	1			29				Right,Outer
	4763 883AD	1			29				Left,Outer
6									TAPE
	4848 918AB	1							Right
	4848 919AB	1							Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – ESR

Exterior Ornamentation







GROUP ESR - Exterior Ornamentation


Illustration Title	Group-Fig. No.
Medallions	
Name Plates	Fig. ESR-110
Decals	
Decals	Fig. ESR-310

Name Plates Figure ESR-110



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
	•									
Also see DECAL Illustration										
1									MEDALLION, Hood	
	PF00 T1R	1							Red	
	PF00 V4S	1							Silver	
2	4848 944AA	2			27				NAMEPLATE, HOOD, RT/10,	
									Chrome	
3	4848 943AA	2			29				NAMEPLATE, HOOD, GTS, Chrome	
4									NAMEPLATE, Chrysler	
	GM69 MV5	1			29				Red (RN)	
		1			27				Red (RN)	
	GM69 VAD	1			29				Silver (A9)	





 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Decals Figure ESR-310







	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
Also see NAMEPLATE Illustration										
1									DECAL, Dodge, Fascia	
	GC54 VAD	1			27				Silver	
	GC54 WRR	1			27				Red	
2									DECAL, Viper R/T 10, Fascia	
	GC43 VAD	1			27				Silver	
	GC43 WRR	1			27				Red	
3									DECAL, VIPER GTS, Fascia	
	MB59 VAD	1			29				Silver	
	MB59 WRR	1			29				Red	
4	4854 217AA	1			29				DECAL, Viper, Fascia	
5	4854 222AA	1			29				DECAL, GTS-R, Fascia, GT2	
									Champion Edition	
6	MB61 TV5	2			29				DECAL, VIPER GTS, Hood, Red	
7	GC53 WRR	2			27				DECAL, Viper R/T 10, Hood, Red	
8	4854 225AA	2			29				DECAL, GTS-R, Hood, GT2	
									Champion Edition	
-9	4854 297AA-	2			29				DECAL, American Flag, AMERICAN	
									FLAG/FIA GT2 CHAMPION	

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – ISR Interior Trim




ISR-100 Headliner and Visor	ISR-200 Quarter Panels and Scuff Plates	ISR-300 Carpets, Mats and Insulation	ISR-400 Door Trim Panels-Front
ISR-500 Front Seats	ISR-700 Seat Belts Front-Outer and Inner		

GROUP ISR - Interior Trim

illustration little	Group-Fig. No
Headliner and Visor	
Visors And Footrest	Fig. ISR-110
Headliner Viper, Coupe	Fig. ISR-120
Quarter Panels and Scuff Plates	
Quarter And Rear Bulkhead Panels Viper, Convertible	Fig. ISR-210
Quarter And Rear Bulkhead Panels Viper, Coupe	Fig. ISR-215
Door Sill Scuff Plate	Fig. ISR-220
Carpets, Mats and Insulation	
Carpet, Front And Rear	Fig. ISR-320
Door Trim Panels-Front	
Door Panels	Fig. ISR-410
Front Seats	J
Seat, Front	Fig. ISR-510
	1 ig. 1511-510
Seat Belts Front-Outer and Inner	
Belt - Front Seat - Outer	Fig. ISR-710

Visors And Footrest Figure ISR-110




1 1 2 4 4	SERIES	29 27	ENGINE	TRANS	00 00	VISOR, W/Mirror Right Left SCREW, Self Tapping, M4.2x1. 69x19.05 Visor Attaching Visor Attaching
2						Right Left SCREW, Self Tapping, M4.2x1. 69x19.05 Visor Attaching
2						Right Left SCREW, Self Tapping, M4.2x1. 69x19.05 Visor Attaching
2						Left SCREW, Self Tapping, M4.2x1. 69x19.05 Visor Attaching
2						SCREW, Self Tapping, M4.2x1. 69x19.05 Visor Attaching
						69x19.05 Visor Attaching
						Visor Attaching
						_
4		27				Visor Attaching
						•
						SCREW, (.164-18x.625), (NOT
						SERVICED) (Not Serviced)
						FOOTREST, Part Of Frame Chass
						(NOT SERVICED) (Not Serviced
						LABEL, Air Bag Warning
1		29			O0	Removable - Dash
1		27			00	Removable - Dash
1						Canada Only
2						English/French 5 Points

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	LC06 DX9AB	1			29			O0	PANEL, Headliner, Includes Dome
									Lamp (Not Serviced Seperately)
2									NET, Cargo
	PB47 DX9	1			29			00	Bulkhead Storage Bin
	PB58 DX9	1			29			00	Overhead Storage
3	QE54 DX9	1			29			O0	BEZEL KIT, HEADLINER
4	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Attaching, Roof
-5	6031 869	2			29				NUT, Push, .19, Attaching,,
									Headliner
6	QK37 SX9	2						00	RETAINER, Headliner, Black

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Quarter And Rear Bulkhead Panels Viper, Convertible Figure ISR-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
1									PANEL, Bulkhead Trim
	QB89 1X7AC	1			27			00	
	LC17 1X7AC	1			29			00	
-2									LATCH, Glovebox
	P894 DX9	1			27			O0	
		1			29			O0	
-3									BOLT, M6.3x22.80
	6502 871	4			27			O0	Attaching, Bulkhead
		4			29			O0	Attaching, Bulkhead
4	6035 085	3			27				SCREW, Tapping, .164-15x1
5									BEZEL, Seat Belt
	HC76 LX9	1			27			O0	Right
		1			29			00	Right
	HC81 LX9	1			27			00	Left
		1			29			00	Left
6	4874 868	1			29			00	STRIKER, Glove Box Door Latch
7									BUMPER, Console Lid
	4763 504	2			27			00	
		2			29			O0	
8									HINGE, Glovebox
	4874 869	1			29			00	
		1			27			00	5005 5
9	DE05 4V74 4	4			00			00	DOOR, Rear Cargo
	RE85 1X7AA	1			29			00	Locking
	QE53 1X7	1			29 27			00	Non Locking
10	RE85 1X7AA	1			21			00	Locking PANEL, Quarter Trim
10	PS12 1X7AD	1			27			00	
	PS12 1X7AD	1 1			27 27			00	Black, Right Black, Left
11	3420 1398	4						-00	SCREW AND WASHER, Oval Truss
11	3420 1390	7							Head, .164-18x.984
12	6035 451	5			27				NUT/SPRING, "U"1THD, For .164-15
12	0000 401	3			21				Screw
13	4848 863AA	2							PATCH, Floor Pan Rear Corner,
10	10 10 0007 0 1	_							Deadener, Bulkhead
14									COVER, Quarter Trim Opening
	QV58 DX9AB	1			29			00	Black, Right
		1			27			00	Black, Right
	QV59 DX9AB	1			29			00	Black, Left
	, <u></u>	1			27			00	Black, Left
									•

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Quarter And Rear Bulkhead Panels Viper, Coupe Figure ISR-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 859	1			29			00	BIN, Floor Console
2									PANEL, Bulkhead Trim
	LC17 1XBAD	1			29			00	w/GT-2
	LC17 1X7AC	1			29			00	
-3	6502 871	4			27			00	BOLT, M6.3x22.80, Bulkhead
									Attaching
4									BEZEL, Seat Belt
	HC76 LX9	1			27			00	Right
		1			29			00	Right
	HC81 LX9	1			27			00	Left
		1			29			00	Left
5								_	BUMPER, Console Lid
	4763 504	2			27			00	
		2			29			00	
6	4874 868	1			29			O0	STRIKER, Glove Box Door Latch
7	4074 000				00			00	HINGE, Glovebox
	4874 869	1 1			29 27			00	
0		1			21			O0	DOOR Poor Corgo
8	QE53 TX7	1			29			00	DOOR, Rear Cargo Non Locking
	RE85 1X7AB	1			29 29			00	Locking, (With Latch P894DX9)
	ILOS INTAB	<u>'</u>			27			00	Locking, (With Latch P894DX9)
	SB95 1X7AA	1			29			00	Locking, (w/o Latch P894DX9)
	0000 17(7)	1			27			00	Locking, (w/o Latch P894DX9)
-9		•							LATCH, Glovebox
	P894 DX9	1			27			O0	
		1			29			00	
10									PANEL, Quarter
	QL02 1X7AC	1			29			00	Black, Right
	QL02 1XBAD	1			29			00	Graphite, (GT2 Champion Edition
									ACC), Right
	QL03 1X7AC	1			29			00	Black, Left
	QL03 1XBAD	1			29			00	Graphite, (GT2 Champion Edition
									ACC), Left
11									SCREW AND WASHER, Oval Truss
									Head, .164-18x.984
	3420 1398	4			29				
		4			27				
12	5517 6291	4							BUMPER, Steel Insert
13	40.40.00.4	^			20				BRACKET, Quarter Trim
	4848 684	2			29				(OTO Objection 5 191 A OO)
	4854 292AA	1			29				(GT2 Champion Edition ACC), Right
OODGE CH SERIES S = RT/10 S = GTS C		R) · Dodge	BODY 27 = Cor 29 = Cou			.0L 10 Cyl. Sl	FI	TRANSMIS DEC = 6 S _I DBB = All N	peed Manual

S = GTS Coupe X = GTS/Lemans

Quarter And Rear Bulkhead Panels Viper, Coupe Figure ISR-215



NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
!						<u> </u>		
4854 293AA	1			29				(GT2 Champion Edition ACC), L
6034 384	4			29				SCREW, Pan Head, .437-20x1.15
								.437-20x1.15
4848 863AA	2							PATCH, Floor Pan Rear Corner,
								Deadner, Bulkhead
								COVER, Quarter Trim Opening
QV58 DX9AB	1			29			00	Black, Right
QV59 DX9AB	1			29			O0	Black, Left
	4854 293AA 6034 384 4848 863AA QV58 DX9AB	4854 293AA 1 6034 384 4 4848 863AA 2 QV58 DX9AB 1	4854 293AA 1 6034 384 4 4848 863AA 2 QV58 DX9AB 1	4854 293AA 1 6034 384 4 4848 863AA 2 QV58 DX9AB 1	4854 293AA 1 29 6034 384 4 29 4848 863AA 2 QV58 DX9AB 1 29	4854 293AA 1 29 6034 384 4 29 4848 863AA 2 QV58 DX9AB 1 29	4854 293AA 1 29 6034 384 4 29 4848 863AA 2	4854 293AA 1 29 6034 384 4 29 4848 863AA 2 QV58 DX9AB 1 29 O0

DODGE CHRYSLER VIPER (SR) SERIES LINE

S = RT/10 S = GTS Coupe X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door Sill Scuff Plate Figure ISR-220

	ITEM	PART	OTV	LINE	ernice	DODY	ENGINE	TDANE	TDIM	DESCRIPTION
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	IKIM	DESCRIPTION
	1									SILL COVER, Interior
		KS20 DX9AC KS21 DX9AC							O0 O0	Black, Right Black, Left
	2 3	0154 751 4848 881AA	8							SCREW, Tapping, .164-18x1 PLUG, Body, .75 Diameter
		+0+0 00 IAA								1 EGG, Body, .73 Diameter
2 3										
	DODGE CH SERIES	RYSLER VIPER (S LINE D =	SR)	BODY	nvertible	ENGINE		TF	RANSMIS	SION
	S = RT/10 S = GTS C X = GTS/Le	D = oupe	Dodge	27 = Co 29 = Co	nvertible upe	EWB = 8 $EW0 = 8$.0L 10 Cyl. S All 8.0L Gas	SFI DE	EC = 6 Sp BB = All N	SION peed Manual Manual
	A = 013/L6	Sinario								

Carpet, Front And Rear Figure ISR-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	QD07 DX9AB	1						00	CARPET, Front Floor, 12 oz, Left
2	QD07 DX9AB	1						O0	CARPET, Front Floor, 12 oz, Right
3	LC11 DX9AB	1			29			00	CARPET, Cargo Side Trim, Black,
									Upper
4	LC12 DX9	1			29			00	CARPET, Luggage Compartment,
									Black, Lower
-5	6505 392AA-	2			29				WASHER, Rubber Mount, Rubber
									Mount
6	LC07 SX7AB	1			29			00	PANEL, Cargo Door Header Trim
7									PANEL, Cargo Door Header Trim
	QK42 SX7	1			29			00	Right
	QK43 SX7	1			29			00	Left
8	6031 869	10			29				NUT, Push, .19, (For .190 Screw)
9									SCREW, (.190-16x1.00), (NOT
									SERVICED) (Not Serviced)
10	4709 275	2							PAD, Bulkhead Spacer
11	3420 1398	4							SCREW AND WASHER, Oval Truss
'									Head, .164-18x.984
12	6031 869	10			29				NUT, Push, .19, Push

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door Panels Figure ISR-410

PART



Q. Q. Q. 2 EI EI 3 60 4 60 5 6 Q.	S03 1X7AE S03 1XBAE S02 1X7AE S02 1XBAE K02 PX9 K03 PX9 031 869 032 723	1 1 1 1 1 1 3 4				O0 O0 O0 O0	PANEL, Door Trim Front Black, Left Graphite, (GT2 Chn. ACC), Left Black, Right Graphite, (GT2 Chn. ACC), Righ BEZEL, Remote Control Black, Right
Q Q Q 2 EI EI 6 6 Q	S02 1X7AE S02 1XBAE K02 PX9 K03 PX9	1 1 1 1 3				O0 O0	Graphite, (GT2 Chn. ACC), Left Black, Right Graphite, (GT2 Chn. ACC), Righ BEZEL, Remote Control
Q Q Q 2 EI EI 6 6 Q	S02 1X7AE S02 1XBAE K02 PX9 K03 PX9	1 1 1 3				O0 O0	Black, Right Graphite, (GT2 Chn. ACC), Righ BEZEL, Remote Control
2 EI 3 60 4 60 5	K02 PX9 K03 PX9 031 869	1 1 3					BEZEL, Remote Control
3 60 4 60 5 6 Q	K03 PX9 031 869	3				00	
EI 3 60 4 60 5 6 Q	K03 PX9 031 869	3				O0	Black, Right
3 60 4 60 5	031 869	3					=.aoi, i igiii
4 60 5 6 Q						O0	Black, Left
5 6 Q	032 723	4		29			NUT, Push, .19
6 Q							SCREW, Self Tapping, M4.2x1.
6 Q							69x19.05, M4.2x1.69x19.05
Q							SCREW, (.164-18x.500), (NOT
Q							SERVICED) (Not Serviced)
							COVER, B Pillar Trim Panel
	B92 JX8	1		27		00	Black, Right
Q	B93 JX8	1		27		00	Black, Left
М	E68 JX8AB	1		29		O0	Black, Right
M	E69 JX8AB	1		29		00	Black, Left
7 55	517 6291	4					BUMPER, Steel Insert
8 61	101 973	6		29			SCREW, Pan Head, M5X0.80X8.0
9							SCREW, (.190-16x1.500), (NOT
							SERVICED) (Not Serviced)
10 46	658 887	AR					PUSH PIN, Front Door Glass Run
							With Weatherstrip
11							WATERSHIELD, Front Door
47	763 796AB	1					Right
47	763 797AB	1					Left
12							BEZEL, Door Trim Panel
M	S38 MX4AB	1				O0	Right
М	S39 MX4AB	1				O0	Left
-13 65	503 709	1				O0	PIN, Door Panel, Push-In

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE - A	ACC = GT2 Ch	ampion	Edition G	oup					
1									SEAT BACK, Front
	RZ97 SX9AA	1						00	Black, Left
	RZ96 SX9AA	1						00	Black, Right
	SR58 1XBAA	1			29			CL	Graphite, (GT2 Champion Edition,
									ACC), Right
	SR59 1XBAA	1			29			CL	Graphite, (GT2 Champion Edition,
									ACC), Left
2									CUSHION, Front Seat
	SR56 1XBAA	1			29			CL	Graphite, (GT2 Champion Edition,
									ACC), Right & Left
	QE61 SX9	1						O0	Black, Right & Left
3	QE63 SX9	1						00	GUIDE, Seat Belt, Black
4	6504 572	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Rear Seat to
									Floor Pan Attach
5	6503 354	4							SCREW AND WASHER, Hex Head,
									M8x1.25x25, Seat Track To Floor
6	4773 266	1						O0	PIN, Actuator Front
-7	5013 600AA-	1			29			CL	TRACK, Seat Adjuster, (GT2
									Champion Edition, ACC)
-8	4773 266	1			29			CL	PIN, Actuator Front, (GT2 Champion
									Edition, ACC)
-9	4874 889	1			29			CL	LUMBAR, Support, (GT2 Champion
									Edition, ACC)
10	5013 601AA	1						O0	WIRE, Seat Adjuster Manaul, (GT2
									Champion Edition, ACC)
11									BRACKET, Serv. With Item 2, (NOT
									SERVICED) (Not Serviced)

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	6
)
(5)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front
	5080 775AA	1			29				5-Point Harness, Right
	4854 251AA	2			29				5-Point Harness, Left
	MB86 SX9	2						00	Domestic and Canada
	PD74 RX9	2						O0	Export
2	6034 383	4							SCREW, Pan Head, .437-20x1.5
3	4708 494	4							SPACER, Seat Belt Retainer
4	6034 457	2							SCREW, Pan Head, .437-20x1.375
5									SEAT BELT, Buckle Half
	4848 718	1							Right
	4848 719	1							Left
6	6034 389	1							SCREW, Pan Head Shoulder, .437-
									20x1.87
-7									RETAINER PACKAGE, Child Seat
									Tether
	4883 004	1			29			00	
		1			27			00	
-8	5260 606	1						O0	EXTENDER, Seat Belt, 5260606
									Need Set Up.

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Group – SSR

Body Sheet Metal Except Doors



SSR-200 Floor Pan	SSR-400 Fender	SSR-500 Hood & Hood Release	SSR-600 Cowl and Dash Panel
SSR-700 Glass, Windshield, Backlite, Mirror	SSR-900 Quarter Panel	SSR-1000 Splash Shields	SSR-1100 Roof - Hard & Folding Top


Group – SSR Body Sheet Metal Except Doors



GROUP SSR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pan Floor Pan	Fig. SSR-210
Fender Fender Shield	Fig. SSR-410
Hood & Hood Release Hood Release And Hinge	Fig. SSR-520
Cowl and Dash Panel Cowl And Dash Panel	Fig. SSR-610
Glass, Windshield, Backlite, Mirror Glass Windshield, Frame And Mirror Glass Windshield Frame And Mirror Viper Coupe Glass, Backlite Hardtop	Fig. SSR-710 Fig. SSR-715 Fig. SSR-720
Quarter Panel Rear Quarter Panel	Fig. SSR-910
Splash Shields Loose Panel	Fig. SSR-1010
Roof - Hard & Folding Top Sport Cap Toupette Assembly-top	Fig. SSR-1110 Fig. SSR-1120
Hard Top Convertible	Fig. SSR-1125 Fig. SSR-1130
Deck Lid Deck Lid Weatherstrip And Latch Fuel Filler Door	Fig. SSR-1310 Fig. SSR-1320 Fig. SSR-1330
Rear Shelf Panel Rear Shelf Panel Viper, Coupe	Fig. SSR-1410

Floor Pan Figure SSR-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ote - A	CC = GT2 Chai	mpion E	Edition Gro	up					
1									PAN, Trunk
	4848 681	1			29				
	4854 300AA	1			29				GT-2
2									FRAME, (Reference Only) See
									Group 13, (NOT SERVICED) (No
									Serviced)
3	4848 591	4			29				EXHAUSTER, Bodyside Aperture
-4									COVER, Trunk Exhauster
	4848 818AB-	2			29				Right
	4848 819	1			29				Left
5	6502 688	2							SCREW AND WASHER, Hex Head
									M10x1.5x70
6	4642 900	4							ISOLATOR, Rear Floor Pan To
									Frame
7									SPACER, Floor Pan Isolator
	4642 902	2			27				
	4848 189	2			29				
8									SHIM, Floor Pan Isolator
	4848 868AA	AR			27				One Inch
	4643 353	AR							
9	6503 675	2							SCREW AND WASHER, Hex Head
									M10x1.5x40
-10	4848 419	4							PLUG, Floor Pan
11	4665 288	2			27				ANCHOR, Tie Down
12	6034 646	4			27				RIVET, .197 Grip187375
13	4708 256	2			27				PLATE, Footman Loop
14	4763 477	2			27				CUSHION, Trunk Pan
15									PATCH, Floor Pan Rear Corner
	4848 864AA	1							Right
	4848 865AA	1							Left
-16	4708 168	1			27				STRAP, Cargo Tie Down
-17	4848 103	1			29				GASKET, Fuel Pump Cover Plate

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
1									SHIELD, Splash
	4763 824AB	1							Right
	4763 825AD	1							Left
2	4708 180	12							SCREW, Splash Shield
3									SHIELD, Splash
	4643 504AB	1							Right
	4643 505AB	1							Left
4	4709 030AB	2							WEATHERSTRIP, Front Splash to
									Hood
5									PUSH PIN, 6.3x22.8, (NOT
									SERVICED) (Not Serviced)
6									SHIELD, Splash
	4763 348AB	1							Right
	4763 349AB	1							Left
7									SHIELD, Splash
	4709 037	1							Left,Rear,Lower
	4763 092	1							Right,Rear,Lower
8									BRACKET, Bulkhead
	4709 356	1							Right
	4709 357	1							Left
9	0181 063	5							SCREW AND WASHER, .25-20x.75
10	6029 074	8							U-NUT, .25-20
11	6100 877	3							WASHER, Flat, M6
12	4709 031AB	2							WEATHERSTRIP, Front Splash to
									Hood
13	6034 578	2			29				RIVET, .25 Grip.0625
14	6500 911	4							RIVET, M6.25x28
15	4708 057	2							PLUG, Trunk Seal, 3" Round
16									RIVET, .250x.492, (NOT SERVICED)
									(Not Serviced)
17	6035 135	3							SCREW
18	4708 235	1							SHIELD, Wheelhouse, Splash Shield,
									Front

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Hood Release And Hinge Figure SSR-520



Hood Release And Hinge Figure SSR-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5245 114	1							Right
	5245 115	1							Left
22									SCREW, M8x1.25x40.00, (NOT
									SERVICED) (Not Serviced)
23	4643 463	AR							SHIM, Hood Latch
24									BRACKET, Hood
	5245 116AB	1							Right
	5245 117AB	1							Left
25									ANTENNA, Reference Only, (NOT
									SERVICED) (Not Serviced)
26	6500 532	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
27									SCREEN, Hood
	4709 248	1							Right
	4709 249	1							Left
28									SCREW, .164-18x.625, (NOT
									SERVICED) (Not Serviced)
29	4643 073	1							SEAL, Hood To Cowl, Hood to Cowl
30									LOUVER, Air Outlet
	4763 330AB	1			29				Right
	4763 331AB	1			29				Left
31	4763 335AB	1			29				BEZEL, Nacaduct, NACA Duct
									(Louver)

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Cowl And Dash Panel Figure SSR-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 547	1							PANEL, Dash, Dash
2	6101 542	4							SCREW, Hex Head, M8-1.25 x 20,
									Panel to Frame
3	6100 544	1							SCREW, Hex Flange Head, M5x0.
									80x20.00, Pedal to Toe Box
4	6101 452	5							SCREW AND WASHER, Hex Head,
									M8x1.25x20, Dash Panel to Frame
5	QN61 SX9	1			29				PANEL, Cowl, Black
6									ROD, Cowl Panel
	5245 872	1							Right
	5245 873	1							Left
7									SCREW
	6035 625	4			29				
		4			27				
8	6502 843	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00
9	6101 090	6							SCREW AND WASHER, Hex Head,
									M10x1.5x25, Panel to Sill
10	6502 337	2							NUT, M10x1.5
11									FRAME, Reference Only, (NOT
									SERVICED) (Not Serviced)
12									SCREW, 10x16x.5, (NOT
									SERVICED) (Not Serviced)
13	6100 516	2							NUT, Hex Flange Lock, M6
									Phosphate, Attach Accellerator
									Pedal to Toe Box
14	4848 900AA	1							COVER, A Pillar, Right
15	4848 897AB	1							STRAP, Ground
16	4373 728	4							PLUG
17	4848 850AC	1							COVER, Antenna Opening

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Glass Windshield, Frame And Mirror Figure SSR-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4709 116AD	1			27				WINDSHIELD
-2	4643 847	AR							SHIM, Windshield
3	PR74 DX9AD	1			27				FRAME, Windshield
4	4643 256	1			27				MIRROR, Inside Rear View, Lighted
5	4054 098	1			27				BUTTON, Rear View Mirror
6	6031 094	1			27				SCREW, Pan Head Tapping, .19-
									16x.375
7	4848 883AA	1			27				BACKLITE, w/Seal
-8	4848 886AA-	1			27				BACKLITE, Snap Assy
-9									BACKLITE, Lock Cover
	4848 888AA-	1			27				Right
	4848 889AA-	1			27				Left
-10	4848 891AA-	1			27				BACKLITE, Lock Package
-11	4848 894AA-	2			27				KEY, Backlite, Viper
-12	4848 895AA-	2			27				LOCK COVER, End Cap
-13	4848 896AA-	2			27				WASHER, Lock Cylinder, With Seal
14									RETAINER, A Pillar Trim
	4848 306	1			27				Right
	4848 307	1			27				Left
-15									WEATHERSTRIP, A-Pillar to Roof
	4848 304AG-	1			27				Right
	4848 305AG-	1			27				Left
16									CAP
	RC76 DX9AA	1			27				Right
	RC77 DX9AA	1			27				Left
-17	GA75 LX7	1			27				BAG, Backlite

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Glass Windshield Frame And Mirror Viper Coupe Figure SSR-715



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 697AD	1			29				WINDSHIELD
2	4643 847	AR							SHIM, Windshield, Windshield
									Mounting
3	4054 098	1			29				BUTTON, Rear View Mirror
4	6031 094	1			27				SCREW, Pan Head Tapping, .19-
									16x.375
5	4848 196	1			29				MIRROR ASSEMBLY, I/S Prismatic
6	4278 662	4							SPACER
7									COVER, A Pillar
	SX50 VA9AA	1			29				Silver, Right
	SX51 LRNAA	1			29				Red, Left
	SX50 LRNAA	1			29				Red, Right
	SX51 VA9AA	1			29				Silver, Left
8	QM22 MX4AC	1			29				FRAME, Windshield Surround
9	4848 823	5			29				BRACKET, Windshield Frame to
									Roof
10									BRACKET, Windshield
	4848 526	1							Right
	4848 527	1							Left
11	6100 582	5			29				BOLT AND CONED WASHER, Hex
									Head, M8x20x20
12									SCREW AND WASHER, M10x1.
									5x30, (NOT SERVICED) (Not
									Serviced)
13									RETAINER, Front Pillar to Glass
	4763 888AD	1			29				Right
	4763 889AD	1			29				Left
14	5245 843	6			29				LOCK COVER, Dual, Cover Half
15	5245 842	6			29				LOCK COVER, Dual, Body Half
16	6500 584	5			29				SCREW AND WASHER, Hex Head,
									M8x1.25x30
17	4848 371	2							SEAL, Sport Cap Base
18	6500 584	8			29				SCREW AND WASHER, Hex Head,
									M8x1.25x30

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans
 D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Glass, Backlite Hardtop Figure SSR-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
1	4763 380	1			29				BACKLITE
2		<u> </u>							HINGE, Liftgate
	4763 964	1			29				Right
	4763 965	1			29				Left
3									COVER, Hinge
	QM20 SX9	1			29				Black, Right
	QM21 SX9	1			29				Black, Left
4	6035 857	8			29				PIN PUSH, .281x.770
5	4848 225	AR			29				SHIM, Liftgate Hinge, To Sport Bar
6	6100 567	4			29				SCREW AND WASHER, Hex Head,
									M6x1x25
7	6501 941	4							NUT AND WASHER
8	4763 387AB	2			29				PROP, Backlite
9	5256 749	2			29				BUMPER, Deck Lid Adjuster
10	4848 474	2			29				GASKET, Bumper Bracket
11	4763 384	1			29				STRIKER, Backlite
12									NUT AND WASHER
	6501 941	4			27				
		4			29				
13									BRACKET, Liftgate
	4848 358	1			29				Right
	4848 359	1			29				Left
-14									REINFORCEMENT, Mounting
	5245 667	1			29				Left
	5245 666	1			29				Right
15	6100 557	4							BOLT AND CONED WASHER, Hex
									Head, M6x20x14
16	5245 886	1			29				LATCH, CABLE AND SWITCH
	4848 767	1			29				BRACKET, Trunk Lamp Mounting
18	6100 583	4							BOLT AND CONED WASHER, Hex
									Head, M8x25x20
19	4763 671AB	1			29				WEATHERSTRIP, Liftgate Glass
20	4763 386	1			29				BRACKET, Mounting
-21	6016 152	2							CLIP, Inner Hole, Deck Lid

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									PANEL, Quarter
		4763 340AB	1			29				Right
		4763 341AB	1			29				Left
		4848 232AB	1			27				Right
		4848 233AB	1			27				Left
	2	4643 893	AR							SHIM, Quarter Panel
	3	6034 844	AR			29				RIVET, Blind, .250x.375/.562
	4	6034 645	14			27				RIVET, .25 Grip0625
	5	4848 202	2			27				SEAL, Panel, Quarter Panel Lower
	6									PAN, Rear Floor, (Reference Only),
										(NOT SERVICED) (Not Serviced)
	7	6034 578	2			29				RIVET, .25 Grip.0625
	8	4708 021	2							LABEL, Exhaust Warning
	9									SCREW AND WASHER, Hex Head,
										M6x1x20
		6101 455	6			29				Quarter Panel Mounting, M6x1.
										00x20.00
		6501 373	3			27				

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Loose Panel Figure SSR-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	l								
Note:									
P.A.R.]	= Paint As Red	quired							
1									PANEL, Door Surround
	4848 838AA	1							Paint As Required, Right
	4848 839AA	1							Paint As Required, Left
2	3502 2111	AR							SPACER, Fender, 1.0
3	3502 2112	AR							SPACER, Fender, 1.5
4	4848 881AA	8							PLUG, Body, .75 Diameter
-5	4708 021	2							LABEL, Exhaust Warning
-6	4708 022	2			27				LABEL, Warning Bar
7									PANEL, Sill
	4763 640AD	1							Right
	4763 641AD	1							Left
-8	6504 580	20							SCREW, Hex Flange Head Tapping
									M4.8x1.59x13, M4.8x1.59x13.00
-9									CAP
	5245 545	1							Rear,Left
	5245 544	1							Rear,Right
-10									CLADDING, Front Sill
	4708 428	1							Front,Right
	4708 429	1							Front,Left
11	6504 580	20							SCREW, Hex Flange Head Tapping
									M4.8x1.59x13, M4.8X1.59X13.00

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Sport Cap Figure SSR-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 848AB	1			27				PANEL, Sport Cap
2									APPLIQUE, SPORT CAP
	4848 875AB	1			27				Anti-Scratch Applique (Export)
		1			27				Anti-Scratch Applique
-3	6034 756	4			29				RIVET, Blind, .156x.460
-4	4848 876AA-	2			27				BRACKET, Quarter Trim
5									WASHER, Sport Cap, (NOT
									SERVICED) (Not Serviced)
-6	6503 139	5			27				SCREW, Tress Head, M5x.80x15,
									Attaching Sport Cap Cover
7	6034 578	2			29				RIVET, .25 Grip.0625
8	6502 337	2							NUT, M10x1.5
9	6503 675	2							SCREW AND WASHER, Hex Head
									M10x1.5x40, M10x1.50x40.00
10	6035 227	2			27				STUD, .312-18x1.875
11	PR73 DX9AD	1			27				PAD, Sport Cap, Black
12									DEADNER, Body Panel, (NOT
									SERVICED) (Not Serviced)
13	4848 371	2			27				SEAL, Sport Cap Base, Sport Cap
									Base
14									SCREW, and WASHER, M8x1.
									25x40.00,, (NOT SERVICED) (No
									Serviced)
15	4643 353	AR							SHIM, Floor Pan Isolator, Floor Pan
									Isolator
16	QX23 DX9AB	2			27				GROMMET, Sport Cap
17									COVER, "B" Pillar Outside
	RV88 DX9AA	1			27				Black, Right
	RV89 DX9AA	1			27				Black, Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Toupette Assembly-top Figure SSR-1120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PK61 SX9AJ	1			27				TOP, Toupette
2	4643 927AB	2			27				GROMMET, Sport Cap
3									WEATHERSTRIP, A-Pillar to Roof
	4848 644AE	1			27				Right
	4848 645AE	1			27				Left
4	4848 902AA	4			27				COVER, Weatherstrip, Weatherstrip
									Nut
-5	HC41 BX7AB	- 1			27				STORAGE BAG, Top
-6	GA79 BX7AD	- 1			27				COVER, Tonneau
-7	6035 085	3			27				SCREW, Tapping, .164-15x1, Snap
									Tonneau Cover Mounting
-8	6035 227	2			27				STUD, .312-18x1.875, Toupette
									Hook Attaching
-9	4658 673	AR			29				PIN PUSH, .150x.410
-10	6100 515	2							NUT, Hex Flange Lock, M5
-11	4848 949AA-	1			27				ROD, Tonneau Cover
12	5015 402AA	1			27				PLATE, Frame Reinforcment, These
									Are Camplates That Go Around
									The Hole Where The Removable
									Hardtop Pins Go

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Hard Top Convertible Figure SSR-1125



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TOP, Hard
	SW18 LRNAA	. 1			27				Red
	SW18 VA9AA	. 1			27				Sliver
2	5010 850AA	1			27				HEADLINER KIT, Hard Top
-3	QK37 SX9	2							RETAINER, Headliner
4									LATCH KIT, Hard Top, Front
	5010 848AA	1			27				(Includes Latch and Screws, Righ
	5010 849AA	1			27				(Includes Latch and Screws, Left
5									LATCH, Hard Top
	4882 376	1			27				Right
	4882 377	1			27				Left
-6									LATCH KIT, Hard Top, Rear
	5010 854AA-	1			27				Right
	5010 855AA-	1			27				Left
7	4882 378	2			27				ISOLATOR, , Rear Latch Pin, Rear
									Latch Pin
8									SCREW, M4x0.7x12.0 Pan Head,
									(NOT SERVICED) (Not Serviced)
9	4882 380	4			27				SCREW, M4x0.7xx16.0 Flat Head
10	4882 381	1							BOLT, M8-1.25x50.0 Shoulder, Hai
									Top Attaching
11	4886 404AA	1							WEATHERSTRIP
-12	6100 515	8			27				NUT, Hex Flange Lock, M5, Toupe
									Weatherstrip
-13	4848 902AA-	4			27				COVER, Weatherstrip, Nut
-14	5010 323AA-	1			27				RAIL KIT, Side, Used For Leak Fix

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Roof Panel Viper Coupe Figure SSR-1130



Roof Panel Viper Coupe Figure SSR-1130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19	5245 853	4			29				NOZZLE, Tube
-20	4848 768	4			29				SEAL, Impact Joint
-21	6101 916	2			29				NUT, Hex Weld, M8x1.25, Hex We
									Roof Inner to Sport Bar Gusset

DODGE CHRYSLER VIPER (SR) SERIES LINE


S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Deck Lid Figure SSR-1310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECKLID
	4642 971AB	1			27				
	4709 181AB	1			27				Export
2	4643 062	2			27				HINGE, Deck Lid
3	4643 881	AR			27				SHIM, Decklid Hinge, .030mm,
									.030mm
4	4643 882	AR			27				SHIM, Decklid Hinge, .060mm,
									.060mm
5									NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00
	6503 825	2			29				
		4			27				
6									NUT AND WASHER, DECK LID
									HGE BODY HALF ATT, M6 X 1.00,
									(NOT SERVICED) (Not Serviced)
7	4643 272	1			27				ROD, Deck Lid Prop, Deck Lid Prop
8	6502 407	2			27				SCREW AND WASHER, Hex Head,
									M6x1x20, M6x1.00x20
9	J400 7456	1			27				CLIP, Prop Rod, Prop Rod Deck Lid
									Stowage
10	4708 281	2							BUMPER, Deck Lid, Deck Lid
									Overslam
11	4848 241	1			27				COVER, Fuel Tank Access
12	6034 578	2			29				RIVET, .25 Grip.0625
13	4643 604	1			27				REINFORCEMENT, Decklid Prop
									Rod, Decklid Prop Rod Mounting
14	4848 206AB	2			27				SEAL, TRUNK CLOSEOUT

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Deck Lid Weatherstrip And Latch Figure SSR-1320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
1	4643 286	1			27				WEATHERSTRIP, Liftgate Opening
2	4642 894	1			27				STRIKER, Door Latch
3									SCREW, Pan Head, M6x1.0x17.00,
									(NOT SERVICED) (Not Serviced)
4	4642 897	1			27				REINFORCEMENT, Decklid Striker,
									Striker
5									RIVET, (NOT SERVICED) (Not
									Serviced)
6	4642 974	1			27				LATCH, Decklid
-7	4848 767	1			29				BRACKET, Trunk Lamp Mounting,
									Trunk Lamp Mounting
8	6100 567	2							SCREW AND WASHER, Hex Head,
									M6x1x25
9									RIVET, (NOT SERVICED) (Not
									Serviced)
10	6032 723	6							SCREW, Self Tapping, M4.2x1.
									69x19.05, .164-15x.750
11	4643 273	1			27				PLATE, Decklid Cylinder
12	4665 288	1			27				ANCHOR, Tie Down, Tie Down
									Anchor
13	6034 646	2			27				RIVET, .197 Grip187375

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4709 219AB	1			27				DOOR, Fuel Fill
2	4643 884	AR			27				SHIM, Fuel Filler Door
3	6100 046	3							NUT AND WASHER, Hex, M5x.80
4	4763 838	2			27				BUMPER, Fuel Door
5	4709 364	1			27				PLATE AND SCREW, Fuel Filler
									Door
6	4708 234	1							LABEL, Fuel, Fuel
7									CAP, Fuel Filler
	4848 132	1							Non-Locking
	4763 684AB	1			29				Monza Metal Base
8									SCREW, [.190-16x1.00], (NOT
									SERVICED) (Not Serviced)
9									TUBE, Fuel, Tank Filler (Reference
									Only), (NOT SERVICED) (Not
									Serviced)
10	6102 004	4			29				SCREW, CAP, M8x1.25x26.8
11	5245 877	1			29				SEAL, Truck Closeout, Trunk
									Closeout to Roof Filler
12									SEAL
	4399 599	1			27				
		1			29				
13									SEAL, Fuel Filler Flange
	4643 885	1			27				Fuel Filler
		2			29				
14	4763 476	1			27				SHIELD, Fuel Filler Door, Fuel Fille
									Paint Chip
15	4848 956AA	1							TUBE, Drain
16	4763 684AB	1			29				CAP, Fuel Filler

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Rear Shelf Panel Viper, Coupe Figure SSR-1410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I CIVI	NOMBER	<u> </u>	LINE	SERIES		ENGINE	INARO	LIXIIVI	DEGOMI HON
1	4002 764AA	AR			29				DANIEL Boor Rody
-2	4883 764AA 4883 765AA-				29				PANEL, Rear Body COVER, Rear
-2 -3	4848 560	1			29 29				COVER, Real
-4	4763 881	1			29				ISOLATOR, Roof to Rear Closure
•	1,00 00.	•							Panel
-5									SCREW, M6x1x20, (NOT
									SERVICED) (Not Serviced)
-6	5015 017AA-	1			29				SPOILER PACKAGE, REAR

SERIES
S = RT/10
S = GTS Coupe
X = GTS/Lemans

LINE D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas